

1910 ELM AVE.

L 6&7 B1 Boulder Dam Site Tr #3 Zone R-1

M. Gatewood 4-9-79

CITY OF LAS VEGAS, NEVADA

LOG NO. & AREA

DEPARTMENT OF BUILDING & SAFETY

CONST. VAL. \$ 48.00

APPLICATION & BUILDING PERMIT — for:
Fence, Wall, Retaining Wall.

ADDRESS OF
CONSTRUCTION:

1910 ELM

OWNER:

GILES ELLIOTT

LOT(S)

Q-7

BLOCK

1

SUBDIVISION

BOULDER DAM SITE TR

ZONE

R-1

Materials of Construction:

Block ☐

Concrete ☐

Wire ☒

Wood ☐

Other ☐

PLANS:

Yes ☐

No ☐

ARCHITECT:

ENGINEER:

EALCS:

Yes ☐

No ☐

CONTRACTOR:

FENCING INC.

STATE

LICENSE #

4089

CITY

LICENSE #

100-9

TOTAL SQUARE FEET:


TOTAL LINEAL FEET:

24'

Remarks:

CONDITIONS OF THE PERMIT:

- Any type of retaining wall must be engineered by a Civil or Structural Engineer.
- If a home owner takes out the Building Permit and if the owner sublets the work to a Contractor, then the Contractor must take out the permit and pay for it.
- No fence or wall can be built on City property or rights-of-way, but this is not intended to preclude construction within utility easements if utilities will not be damaged or made inaccessible.
- The fence or wall shall not enclose any water meter, light standard, or fire alarm box and shall not come closer than 24" from the nearest fire hydrant outlet.
- Department Inspectors must approve footings before concrete is poured and block wall reinforcing before grouting is done.
- Maximum height of any wall or fence is 6', side and rear yards; 4' maximum in front yard with the vertical surface above the height of 2' — 50% open.
- I must not obstruct required onsite parking space (1 space for each dwelling-unit) by the erection of this fence or wall.
- By the signing of this application I herewith agree to the requirements outlined above.



SIGNED:

Longueur or DH

DATE:

3/26/71

CONTRACTOR ☐

AGENT ☐

OWNER ☐

PLANNING DEPT.:

MA

Date:

3-31-71

PUBLIC WORKS DEPT.:

RR

Date:

3-31-71

BUILDING DEPT.:

57734

Date:

5.00

#12850

PERMIT NO.:

PERMIT FEE \$

RECEIPT

7185 0005.00

CITY OF LAS VEGAS
DEPT. OF
BUILDING & SAFETY

MUST BE MACHINE VALIDATED

3-1 MAR 71

H. Gatewood 4-9-79

CITY OF LAS VEGAS, NEVADA

LOG NO. & AREA

DEPARTMENT OF BUILDING & SAFETY

CONST. VAL. \$

48.00

APPLICATION & BUILDING PERMIT — for:
Fence, Wall, Retaining Wall.

ADDRESS OF
CONSTRUCTION:

1910 ELM

OWNER:

GILES ELLIOTT

LOT(S)

Q-7 BLOCK 1

SUBDIVISION

BOULDER DAM SITE TR

ZONE

R-1

Materials of Construction:

Block ☐

Concrete ☐

Wire ☒

Wood ☐

Other ☐

PLANS:

Yes ☐

No ☐

ARCHITECT:

ENGINEER:

CALCS:

Yes ☐

No ☐

CONTRACTOR:

FENCING INC.

STATE

LICENSE #

4089

CITY

LICENSE #

100-91

TOTAL SQUARE FEET:


TOTAL LINEAL FEET:

24'

Remarks:

CONDITIONS OF THE PERMIT:

1. Any type of retaining wall must be engineered by a Civil or Structural Engineer.
2. If a home owner takes out the Building Permit and if the owner sublets the work to a Contractor, then the Contractor must take out the permit and pay for it.
3. No fence or wall can be built on City property or rights-of-way, but this is not intended to preclude construction within utility easements if utilities will not be damaged or made inaccessible.
4. The fence or wall shall not enclose any water meter, light standard, or fire alarm box and shall not come closer than 24" from the nearest fire hydrant outlet.
5. Department Inspectors must approve footings before concrete is poured and block wall reinforcing before grouting is done.
6. Maximum height of any wall or fence is 6' side and rear yards; 4' maximum in front yard with the vertical surface above the height of 2' — 50% open.
7. I must not obstruct required onsite parking space (1 space for each dwelling unit) by the erection of this fence or wall.
8. By the signing of this application I herewith agree to the requirements outlined above.



SIGNED:

Inspector

DATE:

3/26/71

CONTRACTOR ☒

AGENT ☐

OWNER ☐

PLANNING DEPT.:

[Signature]

Date:

3-31-71

PUBLIC WORKS DEPT.:

[Signature]

Date:

3-31-71

BUILDING DEPT.:

[Signature]

Date:

3-31-71

#12850

PERMIT NO.:

57734

PERMIT FEE \$

5.00

RECEIPT

7185 \$005.00

CITY OF LAS VEGAS
DEPT. OF
BUILDING & SAFETY

MUST BE MACHINE VALIDATED

3-1 MAR 71

These Pyriaks 8/31/81

DEPARTMENT OF BUILDING & SAFETY
CITY OF LAS VEGAS, NEVADA

KARDEX CARD
FENCE & RETAINING
WALLS

OWNER Giles Elliott ADDRESS 1910 Elm DATE 3-31-71
CONTRACTOR Fencing Inc. PERMIT NO. 57734
LOT 6-7- BLOCK 1 SUBDIVISION Boulder Dam Site Tract # 3 wire fence

Fence (wire, wood, etc.)	Walls (masonry, rock, etc.)
Location _____	Location _____
Final Inspection <u>10/34-9-71</u>	Footings _____
	Wall Steel 1st _____ 2d _____ 3d _____
	Final Inspection _____
Retaining Wall (masonry)	Retaining Wall (concrete)
Location _____	Location _____
Footings _____	Footings _____
Wall Steel 1st _____ 2d _____ 3d _____	Wall Steel 1st _____ 2d _____ 3d _____
Bond Beam 1st _____ 2d _____ 3d _____	Final Inspection _____
Final Inspection _____	

23.14' ADDRESS 1910 Elm LOG NO. _____ AREA _____

DEPT. of BLDG. & SAFETY - CITY of LAS VEGAS, NEVADA		DATE
OWNER <u>J.C. BURROWS</u>	ADDRESS <u>1910 Elm Ave.</u>	<u>9/15/58</u>
GEN. CONT. <u>OWNER</u>	TYPE OF STRUCTURE <u>REDWOOD FENCE</u>	
PERMIT NO. <u>31723</u>	LEGAL DESCRIPTION:	
LOCATION & FLOOR ELEVATION _____	PLUMBING CONT. _____	TEMP POLE CONT. _____
FOOTINGS _____	PERMIT NO. _____ DATE _____	PERMIT NO. _____ DATE _____
FOUND. & PIERS _____	HEAT. & VENT. CONT. _____	INSPECTION _____ DATE _____
WALL STEEL _____	PERMIT NO. _____ DATE _____	ELECTRICAL CONT. _____
BOND BEAM STEEL _____	SEWER CONT. _____	PERMIT NO. _____ DATE _____
FRAMING & ROOF SHEATHING _____	PERMIT NO. _____ DATE _____	OUTLETS _____
STEEL FABRICATION _____	ROUGH SOIL _____	MOTORS _____ H.P. _____
CONNECTIONS & PAINTING _____	ROUGH WATER _____	SLAB _____
LATHING _____	SEWER OR SEPTIC TANK _____	ROUGH _____
PLASTER _____	TOP-OUT _____	FINAL ROUGH _____
SCRATCH _____	ROUGH GAS _____	FIXTURE CONT. _____
BROWN _____	ROUGH DUCT _____	PERMIT NO. _____ DATE _____
FINAL BLDG. _____	FINAL PLUMBING _____	FIXTURES _____
GRADING & DRAINAGE _____	FINAL HEATING _____	FINAL FIXTURE _____
ON-SITE PARKING _____ SPACES _____	FINAL GAS _____	APPROVED FOR METER _____
ENG. APPROVAL OF _____		
OFF-SITE IMPROVEMENTS _____		

APPROVED for OCCUPANCY: _____

INSPECTOR

DATE

* PLEASE NOTE REMARKS ON REVERSE SIDE

1910 Elm Ave.

REDWOOD FENCE

9/15/58

23.04