

1. CONTRACTOR SHALL MAKE ALL NECESSARY REPAIRS TO EXISTING CHAIN-LINK FENCING HARDWARE AND RAILS. REPLACE MISSING OR DAMAGED CAPS, TIES, SPREADER BARS, ETC. REF. SPECIFICATIONS.

NOTE: CHAINLINK FABRIC IS ACCEPTABLE UNLESS NOTED OTHERWISE

2. CONTRACTOR SHALL PREP AND PAINT ALL EXISTING METAL/WOOD BENCHES AND STEEL TRASH CONTAINERS. REF. SPECS. FIELD VERIFY QUANTITY, TYP.

3. CONTRACTOR SHALL INSTALL NEW ASHALT & TYPE II IN STRICT ACCORDANCE WITH SPECIFICATIONS.

NOTE: NEW FINISH SURFACE TO MATCH ADJACENT ELEVATIONS OF PERIMETER CONCRETE CURB.

NEW PAINTED FINISH OVER EXISTING CONCRETE SLAB. REF. SPECS.

 NEW SURFACING OF NEW 2" MINIMUM THICKNESS ASPHALT CONCRETE PAVING OR RE-COMPACTED TYPE II. ADD ADDITIONAL TYPE II AS REQUIRED. REF. SPECS.

EXISTING FLOOD LIGHT AND POLE. PAINT. REF. SPECS.

☼ EXISTING LIGHT FIXTURE AND POLE. PAINT. REF. SPECS.

- ① EXISTING CONCRETE CURBS AT PERIMETER OF TENNIS COURTS. APPLY NEW TOP COAT AS NECESSARY TO COVER EXISTING. PROVIDE A CLEAN/STRAIGHT EDGE. REF. SPECS. FOR NEW SURFACING AND FINISH COLORS.
- ② ALL EXISTING CHAINLINK FENCING AND POSTS AT TENNIS COURTS AND HANDBALL COURTS TO BE PAINTED. REF. SPECS.
- ③ ALL EXISTING POLES, LIGHT FIXTURES AND / OR FLOOD LIGHTS AT TENNIS COURTS AND HANDBALL COURTS TO BE PAINTED. REF. SPECS.
- ④ EXISTING TENNIS COURT NET POSTS TO BE PAINTED. TYPICAL AT ALL FOUR COURTS. REF. SPECS.
- ⑤ NOT USED.
- ⑥ NEW SURFACING ON/ NEW 2" MINIMUM THICKNESS ASPHALT CONCRETE PAVING OR RE-COMPACTED TYPE II. ADD ADDITIONAL TYPE II AS REQUIRED. REF. HATCHED AREA. REF. SPECS. FOR CONSTRUCTION AND FINISH COLORS.

① PAINT EXISTING CONCRETE SLAB. REF SHADED AREA. COLOR SCHEME TO MATCH TENNIS COURT COLORS. REF. SPECS.

⑧ NEW TENNIS COURT NETS AT EACH TENNIS COURT PER THE FOLLOWING SPECIFICATIONS:

- COMPLETE WITH ALL NETS, TIE DOWN STRAPS AND HARDWARE, BY L.A. STEELCRAFT PRODUCTS, INC., EDWARDS SPORTS PRODUCTS, OR APPROVED EQUAL. NET WITH FIBERGLASS SIDE POCKETS (STEELCRAFT TN-36), AND CENTER TIE DOWN STRAP.

⑨ TENNIS RULES SIGN. PER DTL. I/AL

10 TRACK / COURT SIGN. PER DTL. 2/AI.

11 COURT I.D. SIGN. REF. PLAN FOR COURT NUMBER AND REF. DTL.  
3/A1. (ONE PER TENNIS COURT)

⑫ EXISTING CONCRETE PRACTICE WALLS TO BE PAINTED. PROVIDE CONCRETE FILLER AS NECESSARY TO FILL EXISTING VOIDS/CRACKS IN CONCRETE. COLOR TO BE SELECTED BY ARCHITECT. REF. SPECS.

13. INSTALL NEW EXPANSION JOINT MATERIAL AT EXISTING EXPANSION JOINTS BETWEEN EXISTING CONCRETE SLAB AND TEE FOOTING OF CAST-IN-PLACE CONCRETE WALL. TYPICAL AT ALL FOUR HANDBALL COURTS. REF. SPECS.

⑭ TENNIS COURT STRIPING. REF. SHEET A1 FOR INSTRUCTIONS.

(15) HANDBALL COURT STRIPING. REF. SHEET A1 FOR INSTRUCTIONS.

16 EXISTING COURT LIGHTING COIN ACTIVATED CONTROLLER TO REMAIN. PAINT TO MATCH CHAINLINK FENCING. TOTAL OF 2. REF. SPECS.

⑪ EXISTING COURT LIGHTING PUSH BUTTON CONTROLLER TO REMAIN.  
PAINT TO MATCH CHAINLINK FENCING. REF. SPECS.

⑬ EXISTING CHAINLINK POST AND TOP RAILS TO BE REPAIRED TO MATCH ADJACENT POSTS. REF. SPECS.

⑬ NEW CHAIN LINK FENCE FABRIC TO MATCH EXISTING GAUGE (9 GA.)  
REF. SPECS.

(20) MAINTENANCE SIGN. PER DTL. 4/AI.

21 NEW CHAINLINK FENCE POST/FOOTING AND GATE. REF. PARTIAL  
ENLARGED PLAN - 1/A2.

22 NEW WINDSCREEN TO REPLACE EXISTING WINDSCREEN AT HIGH PERIMETER CHAIN-LINK FENCING AT TENNIS COURTS AND HIGH CHAIN-LINK FENCE THAT DIVIDES THE FOUR TENNIS COURTS INTO TWO AREAS. WINDSCREEN PRODUCT PER THE FOLLOWING SPECIFICATIONS:

MANUFACTURED BY NUP SPORTS 1 (818) 247-3914 OR 1 (800) 714-4661,  
OR TEN-AIR 1 (800) 766-3631 OR APPROVED EQUAL. THE  
WINDSCREEN SHALL BE FIRE RETARDANT OPEN MESH, SEAMLESS  
POLYPROPYLENE AND FABRICATED IN 9 FOOT HEIGHT WITH OPTIONAL  
1230 REINFORCED WIND TAPE AND 1231 REINFORCED WIND TAB HEIGHT.  
ALL HEIMS ARE TO BE BOUND WITH 3/4" BINDING TAPE WITH 4 BRASS  
GROMMETS EVERY 12". COLOR TO BE SELECTED BY ARCHITECT FROM  
MANUFACTURERS STANDARD COLORS.

PHYSICAL PROPERTIES:  
WEIGHT: 460Z/5Q. YD.  
SHADE: 80-85%  
TENSILE STRENGTH: WRAP 325LBS, FILL 200LBS  
TRAPEZOID TEAR: WARP 150LBS. FILL 90  
THICKNESS: 13MILS  
YARN TYPE: 330 DENIER UV/FR

(23) PROJECT CONSTRUCTION SIGN. REF. DETAIL 3 ON SHEET A2.



Scale: 1"=20'-0"