



**NOTES:**  
1. LENGTH OF FACE # SHALL BE 3'-0".  
2. SET END ANCHORS 6" FROM ENDS OF FACE PLATE.

**NOTES - CATCH BASIN**  
A. STEPS SHALL BE 3/4"  $\phi$  STL., CAST IN PLACE, GALV. AFTER FABRICATION. PLACE STEPS @ 12" INTERVALS, ONE STEP 12" ABOVE BASIN FLOOR W/ THE TOP STEP 6" MIN. BELOW TOP OF MANHOLE.  
B. CURVATURE OF THE LIP AND SIDE WALLS AT GUTTER OPENING SHALL BE FORMED BY CURVED FORMS.  
C. OUTLET PIPE SHALL BE TRIMMED TO THE FINAL SHAPE AND LENGTH BEFORE CONCRETE IS POURED.  
D. FLOOR OF BASIN SHALL BE TROWELED TO A HARD, SMOOTH SURFACE & SHALL SLOPE FROM ALL DIRECTIONS TO THE OUTLET.  
E. SURFACE OF ALL EXPOSED CONCRETE SHALL CONFORM IN SLOPE, GRADE, COLOR, FINISH AND SCORING TO CURE AND WALK ADJACENT TO THE BASIN.

JOB NO. 55680001 FILE DP 9/76

DESIGNED: R. THOMAS DRAWN: D. BARDON CHECKED: G.S.		SUBMITTED: [ ] R.C.E. NO. [ ] DATE [ ] RECOMMENDED: [ ] R.C.E. NO. [ ] DATE [ ]		APPROVED: [ ] APPROVED: [ ]		CITY OF LAS VEGAS CULTURAL SERVICES COMPLEX - PHASE I <b>CATCH BASIN PLAN &amp; DETAILS</b>		SHEET <b>9</b> OF 10 SHEETS
SCALE: AS NOTED	MONTGOMERY ENGINEERS OF NEVADA 1100 EAST SAHARA AVENUE, LAS VEGAS, NEVADA 89105	APPROVED: [ ] APPROVED: [ ]		DATE: [ ] DATE: [ ]		DATE: [ ] DATE: [ ]		513-444