



- CITY OF LAS VEGAS GENERAL NOTES**
1. HOUSE SERVICES SHALL COMPLY WITH WESTERN PLUMBING CODE AS TO SEPARATION DISTANCE.
 2. ALL HOUSES TO BE SERVED INDIVIDUALLY AS PER SECTION 313 OF THE UNIFORM PLUMBING CODE.
 3. CONTRACTOR SHALL FURNISH THE ENGINEER WITH AS-BUILT DRAWINGS SHOWING THE EXACT LOCATIONS OF ALL HOUSE CONNECTIONS.
 4. CONCRETE COLLARS TO BE CONSTRUCTED AROUND ALL MANHOLES AND WATER VALVES. CONCRETE COLLARS SHALL BE 1/8" TO 1/4" LOWER THAN ADJACENT FINISH GRADE.
 5. CHISEL S OR G WHEREVER SEWER OR GAS LINES PASS UNDER CURB.



PROJECT SITE



VICINITY MAP

QUANTITY ESTIMATE

4 DIA. STD. MANHOLE	6 EA.
8" P.V.C.	1950 LF.
4" SEWER LATERAL	80 EA.



TITLE MASTER SEWER PLAN		PROJECT BRISTOL PARK UNIT NO. 2	
WO NO. 4060		BY GS/PJS/LEO	
DATE 6/87		SCALE 1"=50'	
SHEET 7		OF 11 SHEETS	
DESIGN ENGINEERS & SURVEYORS, INC.		SUBMITTED BY: [Signature]	
[Stamp]		DATE 6/19/87	