

COLLEGE PARK NO.6

COLLEGE PARK NO.12

OWEN'S

JAMES ST.

AVENUE

PALMER ST.

STREET

30TH

KAIBAB AVE

TETON STREET

SEQUOIA

AVE.

PLAN

SCALE 1"=80'

SCALE 1"=100'

GENERAL NOTES

1. Sewers to be 8" vitrified clay pipe.
2. House connections to be 4" vitrified clay pipe.
3. House connections to be extended to back of curb.
4. Stationing of House Connections may be adjusted 2'± to joints in sewer main.
5. Sewer sub-contractor shall verify location and invert of existing 18" sewer in Pecos Road before starting excavation.
6. Sewer sub-contractor shall verify location of all House Connections of Sewers with Plumbing Sub-contractor before installing same.

ESTIMATE OF QUANTITIES

8" Vitrified Clay Pipe	2570 Lin. Ft. (includes 3143 Lin. Ft. off site)
4" Vitrified Clay Pipe	1664 Lin. Ft.
Manholes off site	14 Each
Manholes on site	14 Each
House Connections	86 Each
8" Ceramic Plugs	11 Each

APPROVAL	
DATE	BY
DATE	BY
DATE	BY

P L A N	
SEWERAGE SYSTEM	
COLLEGE PARK NO.20	
LAS VEGAS, NEVADA	
SCALE AS SHOWN	PERLITER & SORING ENGINEERS
DATE FEB 1961	LOS ANGELES
DRWG NO 1	OF 3

3077-1121-23

COLLEGE PARK RD

COLLEGE PARK RD
OWEN ST

AVENUE

STREET

RD

SCOTLAND

P L A N

IDENTICAL

GENERAL NOTES

1. Sewer to be 4' diameter clay pipe.
2. Sewer connection to be 4' diameter clay pipe.
3. Sewer connection to be installed to back of yard.
4. Elevation of these connections may be adjusted to fit grade at these points.
5. Owner and contractor shall verify location and level of existing 48" sewer in front of lot before starting construction.
6. Owner and contractor shall verify location of all other underground lines of sewer, water, gas, electric, etc. before installing sewer.

ESTIMATE OF QUANTITIES

4' Diameter Clay Pipe 1000 ft. (includes 200 ft. cut off work)
 4' Diameter Clay Manhole 1 No.
 4' Diameter 48" Pipe 100 ft.
 4' Diameter 48" Manhole 1 No.
 4' Diameter 48" Pipe 100 ft.

APPROVAL		P L A N	
DATE	BY	SEWERAGE SYSTEM	
DATE	BY	COLLEGE PARK RD	
DATE	BY	L. S. - TERRACE BLVD	
DATE	BY	PERMIT & RECORD	
DATE	BY	1	
DATE	BY	1	

11/2/24 3077- 424-48