


- NOTES:**
- 1 ALL EXPOSED METALS SHALL BE HOT DIP GALVANIZED AFTER FABRICATION
  - 2 PROVIDE 1/2" (MIN) CLEARANCE ALL AROUND THE STEEL BEAM DRY PACK AFTER INSTALLATION
  - 3 WHEN REQUIRED BY LENGTH OF OPENING, PLATE ANGLE MAYBE DELIVERED IN SECTIONS AND BUTT WELDED IN PLACE
  - 4 ALL GALVANIZING DAMAGED BY WELDING SHALL RECEIVE TWO COATS OF GALVALLOY OR EQUAL
  - 5 CONCRETE SHALL BE 3000 PSI MODIFIED CLASS DA, SEE UNIFORM STANDARD SPECIFICATIONS SECTION 501
  - 6 ANGLE ANCHORS SHALL BE EMBEDDED MIDPOINT IN EACH ENDWALL AND EVENLY SPACED (MAXIMUM SPACING OF 2')



CALL BEFORE UNDERGROUND TRAFFIC SIGNAL SYSTEMS AND STREET LIGHT SYSTEM CONDUITS ARE COVERTLY.

**Call before you UnderGround**

1-702-455-7511  
CLARK COUNTY UTILITIES DEPARTMENT  
1-702-225-6611  
LAS VEGAS AREA COMPUTERIZED TRAFFIC SYSTEM

Avoid hitting overhead power lines. It's costly. Avoid cutting underground utility lines. It's costly.

**Call before you Overhead** **Call before you Dig.**

1-702-227-2929 1-800-227-2600  
UNDERGROUND SERVICE ALERT (USA)

**PROFESSIONAL ENGINEER - STATE OF NEVADA**

**ROBERT GELU**  
EXP. 6-30-09  
CIVIL  
No. 17741

9-20-06

**SUMMIT ENGINEERING CORPORATION**  
1421 E. SUNSET RD. SUITE 17 LAS VEGAS, NV 89119  
PHONE (702) 252-9336 FAX: (702) 252-3547

DESIGNED BY: PG Robert  
DRAWN BY: Robert  
CHECKED BY: AH  
Copyright SUMMIT ENG 2006

**CIVIL IMPROVEMENT PLANS FOR BUNKER COMMONS II GRADING PLAN SECTIONS AND DETAILS**

CLARK COUNTY NEVADA LAS VEGAS

REV.	DATE	DESCRIPTION	BY	APP'D

SCALE: HORIZ: N/A VERT: N/A  
JOB NO: 73001  
M:\DWGSET\173001\8888\J-7303\GDDT.DWG 142 PM • D:\APPZ-2006

97121

CLV # 10744842-2

HTE# 06-19400