

QUANTITIES

SANITARY SEWER NOTES

DESCRIPTION

- 1 8" PVC SANITARY SEWER
- 2 STD. 5' DIA. MANHOLE
- 3 4" SANITARY SEWER SERVICE
- 4 SANITARY SEWER CLEANOUT

PAVING QUANTITIES

DESCRIPTION

- 1 INSTALL 2.5" ASPHALTIC CONCRETE WITH 7" TYPE II BASE AND 12" RECOMPACTED SUBGRADE. PER GEOTECHNICAL REPORT FROM NINYO & MOORE. PROJ. # 300191-01
- 2 INSTALL 24" "L" TYPE CURB AND GUTTER PER C.C.U.S.D. DWG# 216
- 3 INSTALL "A" TYPE CURB PER C.C.U.S.D. DWG# 219
- 4 INSTALL 3" WIDE VALLEY GUTTER PER DETAIL R
CB
- 5 INSTALL PVC SIDEWALK UNDERDRAIN PER DETAIL M
CB
- 6 INSTALL 8" WIDE VALLEY GUTTER PER C.C.U.S.D. DWG# 228
- 7 INSTALL SIDEWALK UNDER DRAIN PER C.C.U.S.D. DWG# 236
- 8 INSTALL 4" WIDE CONCRETE SIDEWALK PER C.C.U.S.D. DWG# 234
- 9 INSTALL HANDICAP PER C.C.U.S.D. DWG# 235, CASE 1
- 10 REMOVE AND REPLACE EXIST. ASPHALTIC PAVEMENT
- 11 TRENCH, BACKFILL AND REPLACE PAVING PER C.C.U.S.D. DWG. NO. 503
- 12 INSTALL 9" WIDE "U" CHANNEL PER DETAIL K
CB
- 13 INSTALL BLOCK WALL OPENING PER DETAIL J
CB
- 14 "U" CHANNEL PLAN PER DETAIL L
CB
- 15 INSTALL 5" WIDE CONCRETE SIDEWALK PER C.C.U.S.D. DWG# 234

QUANTITY

	PRIVATE	PUBLIC
1139 LF	161 LF	
5 EA	1 EA	
548 LF	N/A LF	
1 EA	N/A EA	

QUANTITY

	PRIVATE	PUBLIC
6998 SY	N/A SY	
897 LF	555 LF	
2763 LF	N/A LF	
4976 SF	N/A SF	
7 EA	N/A EA	
N/A LF	1209 LF	
4 EA	3 EA	
19,053 SF	N/A SF	
5 EA	4 EA	
N/A SY	1900 SY	
N/A CY	90 CY	
76 LF	N/A LF	
N/A SF	716 SF	

CONSTRUCTION NOTES-WATER

- 1 2" METER - UDACS PLATE NO. 1-D
- 2 2" RPPA - UDACS PLATE NO. 11-A
- 3 8" DCDA - UDACS PLATE NO. 20-B
- 4 8" WATER - PVC (FIRE)
- 5 4" WATER - PVC (DOMESTIC)
- 6 2" WATER - PVC (DOMESTIC) ~~LOPPER~~
- 7 FIRE HYDRANT - UDACS PLATE NO. 7
- 8 8" GATE VALVE - UDACS PLATE NO. 8
- 9 4" GATE VALVE - UDACS PLATE NO. 8
- 10 10" GATE VALVE - UDACS PLATE NO. 8
- 11 10"x8"x10" TEE W/THRUST BLOCKS
- 12 8" 90° BEND W/THRUST BLOCKS
- 13 14"x10" TAPPING SLEEVE W/10" TAPPING VALVE W/THRUST BLOCKS
- 14 4"x4"x4" TEE W/THRUST BLOCKS
- 15 4" 90° BEND W/THRUST BLOCKS
- 16 2" SERVICE SADDLE
- 17 2" 90° BEND W/THRUST BLOCKS
- 18 4" WATER - PVC (SERVICE)
- 19 8"x8"x6" TEE W/ THRUST BLOCKS
- 20 6" GATE VALVE - UDACS PLATE NO. 8
- 21 6" WATER - PVC (FIRE)
- 22 6" MJ TAPPING SLEEVE W/6" TAPPING VALVE W/THRUST BLOCKS
- 23 14" MJ TAPPING SLEEVE W/10" TAPPING VALVE W/ THRUST BLOCK
- 24 10" WATER - PVC (PUBLIC)
- 25 2" x 4" REDUCER
- 26 8" x 4" TEE
- 27 4" WATER-PVC (FIRE)
- 28 8" WATER-PVC (PUBLIC)
- 29 8" MJ TAPPING SLEEVE W/8" TAPPING VALVE W/THRUST BLOCKS
- 30 TRENCH PER CC STD. DWG. NO. 503 EXACT LIMITS TO BE DETERMINED BY CLV INSPECTOR
- 31 FDC LOCATION
- 32 ABANDONED VALVE - CUT AND CAP
- 33 6"x6" MJ TAPPING TEE W/6" TAPPING VALVE
- 34 8"x8"x8" TEE
- 35 10"x6" TEE
- 36 4"x2" REDUCER
- 37 4"x3" REDUCER
- 38 4"x2 1/2" REDUCER

QUANTITY

	PRIVATE	PUBLIC
N/A EA	2 EA	
N/A EA	2 EA	
N/A EA	2 EA	
1827 LF	1286 LF	
1614 LF	N/A LF	
N/A LF	60 LF	
3 EA	N/A EA	
N/A EA	1 EA	
4 EA	N/A EA	
4 EA	6 EA	
2 EA	1 EA	
5 EA	N/A EA	
N/A EA	2 EA	
13 EA	N/A EA	
3 EA	N/A EA	
N/A EA	2 EA	
XX EA	XX EA	
531 LF	N/A LF	
3 EA	N/A EA	
3 EA	N/A EA	
76 LF	N/A LF	
N/A EA	1 EA	
N/A EA	1 EA	
N/A LF	1307 LF	
2 LF	N/A LF	
5 EA	N/A EA	
316 LF	N/A LF	
N/A LF	27 LF	
N/A EA	2 EA	
N/A EA	1 EA	
6 EA	N/A EA	
N/A EA	2 EA	
6 EA	1 EA	
2 EA	0 EA	
0 EA	1 EA	
7 EA	0 EA	
4 EA	0 EA	
1 EA	0 EA	

REV	DATE	BY	REVISION

COMMUNITY DEV. PROGRAMS CENTER

QUANTITIES AND SCHEDULE

DRAWN BY: JFM 01/22/01

DESIGNED BY: JFM 01/22/01

CHECKED BY: ANS 01/23/01

PROJECT NO.: 400028-A001

SCALE: 1"=30'

SCALE: 1"=3'

ENGINEERING • LANDSCAPE ARCHITECTURE
PLANNING • URBAN DESIGN • SURVEYING
2551 N. GREEN VALLEY PKWY., SUITE 4425
HENDERSON, NV, 89014-7021 498-2351

EVERGREEN APARTMENTS

PROJECT: 400028-A001

SEAL

DRAWING NO. 107V3761

C3 OF 9

9/13/01