



SCALE 1"=20'



DELINEATION QUANTITIES

	Length	White Ceramic	White Reflective	Red/Clear Reflective
Lane Line	1160'	90		30
Storage Line	456	57	44	
<b>Painted *</b>				
4" Solid White	1000'			
4" Solid Yellow	1550'			
4" Broken White	1400'			
12" Solid White	750'	(Thermo-Plastic)		

\* See Sheet C-6 For Meadows Lane Striping

NOTES:

- CONTRACTOR SHALL OBLITERATE EXISTING PAVEMENT MARKINGS NOT IN CONFORMANCE WITH THIS PLAN.
- PAVEMENT MARKER PATTERNS SHALL CONFORM TO C.L.V. STANDARD DNG. NOS. 404.1501 TO 404.1506. APPLICATION METHODS AND MATERIALS SHALL COMPLY WITH "UNIFORM STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1986".
- STOP LINES, CROSSWALKS, ARROWS AND THE WORD "ONLY" SHALL BE APPLIED AT LOCATIONS SHOWN USING HOT OR COLD-APPLIED THERMOPLASTIC PAINT PER SECTION 628 OF THE SPECIFICATIONS.

REVISIONS

REV	DATE	DESCRIPTION
1	8-20-86	2343 R.E. NO. DATE

RECORDED & RETURNED TO ARCHITECT

DEAN A. BECK & ASSOCIATES

1555 SOUTH RAINBOW BLVD., LAS VEGAS, NEVADA 89102

G.C. WALLACE, INC.

Engineering/Architecture

DECATUR CROSSING

DEAN A. BECK & ASSOCIATES

DECATUR BOULEVARD DELINEATION PLAN

SHEET

C-10

OF 17 SHEETS

JOB NO. 632.049

8/84 DIETRICH-POST 65328

CLV CHIEF LAND DEVELOPMENT

8-21-86

DATE

1074-1229