

1 Floor Plan
Scale: 1/4"=1'-0"

General Notes:

1. THE CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AT THE SITE AND SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BETWEEN ACTUAL CONDITIONS AND INFORMATION SHOWN ON THE DRAWINGS BEFORE PROCEEDING WITH THE WORK.
2. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ARCHITECT OF ANY CONDITION WHICH IN HIS OPINION MIGHT ENDANGER THE STABILITY OF THE STRUCTURE OR CAUSE DISTRESS TO THE STRUCTURE.
3. ALL WORK SHALL CONFORM TO THE MINIMUM STANDARDS OF THE 1991 UNIFORM BUILDING CODE (UBC) AND SUCH OTHER REGULATING AGENCIES EXERCISING AUTHORITY OVER ANY PORTION OF THE WORK.
4. SPECIFIC NOTES AND DETAILS SHALL TAKE PRECEDENCE OVER GENERAL NOTES AND DETAILS. TYPICAL DETAILS AND SECTIONS SHALL APPLY WHERE SPECIFIC DETAILS ARE NOT SHOWN, AND WHERE DETAILS OF DESIGN ARE NOT PROVIDED, THE CONSTRUCTION SHALL BE AS SHOWN FOR SIMILAR WORK.
5. THE CONTRACTOR SHALL SUPERVISE AND DIRECT HIS WORK AND HE SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES. THE CONTRACTOR SHALL ADEQUATELY BRACE AND/OR SHORE ALL STRUCTURAL COMPONENTS OR ELEMENTS AND ALL BUILDING PARTS DURING CONSTRUCTION TO PREVENT COLLAPSE, BUCKLING, OR UNDESIRABLE MOVEMENT.
6. THE CONTRACTOR AND ALL SUB-CONTRACTORS SHALL VERIFY ALL DIMENSIONS AND CONDITIONS AT THE SITE PRIOR TO STARTING THEIR WORK.
7. WHERE WORK OF ONE TRADE AFFECTS WORK OF A SUBSEQUENT TRADE, COMMENCING WORK BY THE SUBSEQUENT TRADE INDICATES ACCEPTANCE OF CONDITIONS AND SURFACES.
8. PATCH AND REPAIR ANY DAMAGE TO EXISTING WORK DUE TO CONSTRUCTION OR OTHERWISE TO MAKE A SMOOTH TRANSITION BETWEEN NEW AND EXISTING WORK.
9. THE CONTRACTOR IS TO TAKE SPECIAL CAUTION IN REMAINING CLEAR OF UTILITY EASEMENTS AND OBJECTS DURING CONSTRUCTION. THE CALL BEFORE YOU DIG NUMBER IS 1-800-221-2600.

Sheet Notes:

- 1 FUTURE HOOD LOCATION, SEE STRUCTURAL DRAWINGS & REFLECTED CEILING PLAN
- 2 FLOOR SINK, SEE PLUMBING DRAWINGS
- 3 MOP RACK, REF. SPECS
- 4 STAINLESS STEEL SINK, SEE PLUMBING DRAWINGS
- 5 STAINLESS STEEL COUNTER, SEE DETAIL 3-A10.
- 6 FLOOR DRAIN, SEE PLUMBING DRAWINGS
- 7 1'-6" DIA. CONCRETE COLUMN, TYP. OF 3, REF. STRUCT. DRAWINGS
- 8 ELECTRICAL PANEL BOARD, SEE ELECTRICAL DRAWINGS
- 9 EDGE OF SLAB, REF. STRUCT. DRAWINGS
- 10 SUN TUNNEL, SEE ROOF PLAN & SPECS
- 11 EVAP. COOLER UNIT ABOVE, REF. MECHANICAL DRAWINGS, REF. STRUCT. DRAWINGS FOR SUPPORT
- 12 MOP SINK, REF. PLUMBING DRAWINGS
- 13 SINK, SEE PLUMBING DRAWINGS
- 14 ACCESSIBLE COUNTER, SEE DETAIL 3-A10
- 15 SHUNT TRIP WITH SIGNAGE AND PADLOCK - REF. ELECTRICAL DUGS.
- 16 EXHAUST VENT, SEE CEILING & MECHANICAL PLANS
- 17 LINE OF ROOF ABOVE
- 18 ROLL-UP DOOR HOOD, SEE DOOR SCHEDULE
- 19 DUCT ABOVE, REF. MECHANICAL
- 20 HOSE BIBB, REF. PLUMBING DRAWINGS
- 21 SLAB CONTROL JOINT, SEE STRUCT. DUGS.
- 22 SLOPE CONCRETE FLOOR WHERE SHOWN TO PROVIDE PROPER DRAINAGE. THE PERIMETER OF THE AREA MARKED IS A BASE HEIGHT FINISH FLOOR MARK OF 100'-0" AFF. (REFER TO CIVIL)
- 23 PROVIDE INTEGRAL COLORED CONCRETE FLOOR AND CONCRETE SEALER, TYP. - REF. SPECS.
- 24 30" X 30" X 4" HIGH CONC. PAD, CHAMFER ALL EXPOSED EDGES.
- 25 IRRIGATION CONTROLLERS, REF. SITE ELEC. DRAWINGS.
- 26 WIRE RACEWAY FOR TIME CLOCKS, REF. SITE ELEC. DUGS.

Masonry Notes:

1. EXTERIOR OF BUILDING: RAKED JOINTS • HORIZONTAL AND VERTICAL JOINTS
2. INTERIOR OF BUILDING: ALL JOINTS TO BE CONCAVE JOINTS.


Wall Legend

- 1 8" X 8" X 16" SMOOTH FACE COLORED CONCRETE MASONRY UNITS W/ STACK OR RUNNING BOND PER ELEVATIONS, TO +1'-4" AFF. - RAKED HORIZ. & VERT. JOINTS • EXPOSED EXTERIOR FACES, TOOLED CONCAVE JOINTS • INTERIOR FACES - SEAL ALL EXPOSED SURFACES - REF. SPECS. COLOR PER FINISH SCHEDULE. WITH STEEL PANELS OVER METAL STUD FRAMING ABOVE 1'-4" TO ROOF STRUCTURE (REFER TO ELEVATIONS). REF. STRUCT. DUGS. FOR STUD SIZE AND ATTACHMENTS.
- 2 8" X 8" X 16" CONCEALED SMOOTH FACE CONCRETE MASONRY UNITS W/ RUNNING BOND, TO +1'-4" AFF. - TOOLED CONCAVE JOINTS - SEAL ALL EXPOSED SURFACES - REF. SPECS. COLOR PER FINISH SCHEDULE. W/ 4" - 20 GA. METAL STUD FRAMING • 16" O.C. ABOVE 1'-4" WITH 3/8" G.W.B. EACH SIDE TO BOTTOM OF BEAM, REF. STRUCT. DUGS.
- 3 6" - 18 GA. MTL STUDS • 16" O.C. W/ 3/8" G.W.B. BOTH SIDES, FULL HEIGHT TO STRUCTURE ABOVE



REVISIONS
 CONSULTANT
CREATIVE DESIGN ARCHITECTURE
 ARCHITECTURE, PLANNING, CONSULTING
 1000 EAST STEWART AVENUE, SUITE 100
 LAS VEGAS, NEVADA 89101

DEPARTMENT OF PUBLIC WORKS
 Deer Springs Park - Phase I
 Elkhorn & Buffalo, Las Vegas, Nevada
 Floor Plan, Wall Legend, General Notes



OWNER: CITY OF LAS VEGAS
 DEPARTMENT OF PUBLIC WORKS
 ARCHITECTURAL SERVICES

400 EAST STEWART AVENUE
 LAS VEGAS, NEVADA 89101
 PHONE: (702) 229-6535
 FAX: (702) 382-3232
 TDD: (702) 386-9108

DRAWN	RA
FILE	FLRPLAN.DWG
DATE	March 8, 2007
SCALE	1/4"=1'-0"
BID NO.	02,1534.05
CLVDWG NO.	65065-1

BID SET ISSUED 3-8-07
 SHEET NO.
MF - A1
 OF