




I. TACK COLD MILLED SURFACE	0.10 GAL/SQYD
II. TACK BETWEEN DENSE GRADE LIFTS	0.06 GAL/SQYD
III. TACK OPEN GRADE TO DENSE GRADE	0.07 GAL/SQYD



NDOT PERMIT REQUIRED. CONTRACTOR TO OBTAIN NDOT OCCUPANCY PERMIT PRIOR TO CONSTRUCTION IN NDOT RIGHT OF WAY

COLLINS ENGINEERS ASSUMES NO RESPONSIBILITY FOR EXISTING UTILITY LOCATIONS AND ELEVATIONS. THE UTILITIES SHOWN ON THIS DRAWING HAVE BEEN PLOTTED FROM THE BEST AVAILABLE INFORMATION. IT IS, HOWEVER, THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY THE LOCATION AND ELEVATION OF ALL UTILITIES PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION. CONTRACTOR TO FIELD VERIFY ALL EXISTING SITE CONDITIONS PRIOR TO CONSTRUCTION. IF A CONFLICT EXISTS BETWEEN WHAT IS SHOWN ON THESE DRAWINGS AND WHAT EXISTS IN THE FIELD, THE CONTRACTOR IS TO NOTIFY THE ARCHITECT OR ENGINEER IMMEDIATELY.

[illegible]

LAS VEGAS, NEVADA

NO.		DATE	DESIGN BY	DESCRIPTION
Δ		3/13/17	A PD-JM 5/13/17	PIPE LENGTHS AND TYPE
CEI PROJECT:				4136
DESIGN BY:			JDM	SR
DRAWN BY:			JDM	SR
CHECKED BY:			TDM	P.E.
DATE: 03/13/17				
SCALE: 1"=30'				
SHEET NUMBER				
C4.10				
SHEET 16 OF 45				
H # 64486				

THOMAS D. MILLER - 15776