

102823

Dimensioned Floor Plan

Scale: 1/8"=1'-0"

Project North

General Notes:

1. DIMENSIONS • CHU ARE TO FACE OF CHU WALLS.
2. HINGE SIDE OF DOOR JAMBS TO BE: STUD WALLS - FINISHED JAMB OPENING TO BE 5" FROM NEAREST FINISHED CORNER UNO. MASONRY WALLS - R.O. TO BE 8" FROM NEAREST MASONRY CORNER UNO.
3. DIMENSIONS OF INTERIOR STUD WALLS ARE TO FACE OF STUD UNO.
4. DIMENSIONS OF FURRED CHU WALLS ARE TO FACE OF CHU UNO.
5. COORDINATE WIDTH OF TRENCH DRAINS IN APPARATUS BAYS W/ PLUMBING CONTRACTOR PRIOR TO POURING SLAB FOR DRAINS.
6. PROVIDE DEPRESSION IN SLAB FOR SHOWER BASES IN ROOMS 1023 & 1026. COORDINATE SIZE AND DEPTH W/ SHOWER PAN MANUFACTURER. SEE SHEET S11 FOR AREAS OF DEPRESSIONED SLAB.
7. SEE SHEET A82 & DETAILS ON SHEET A10.4 FOR DIMENSIONS OF KITCHEN CABINETRY.
8. DIMENSIONS FOR ALL MILLWORK ARE FROM FACE OF LAMINATE FINISH AND/OR GYPSUM WALL BOARD FINISH.
9. DIMENSIONS FOR ALL BATH FIXTURES ARE FROM FACE OF TILE OR FINISHED FLOOR.
10. ALL HANDICAPPED SHOWERS SHALL HAVE A 3'-0" CLEAR DIMENSION FROM FACE OF FINISH IN BOTH DIRECTIONS.
11. HANDICAPPED DIMENSIONS WITH "CLR" ASSOCIATED WITH THEM INDICATE THE REQUIRED EXACT DIMENSION TO FACE OF WALL FINISH. CONTRACTOR IS REQ'D TO COORDINATE ROUGH FRAMING DIM. REFER TO SHEET A82 FOR CLARIFICATION OF CLEAR DIMENSIONS TO FINISHED SURFACES.
12. RECESS IN CONCRETE SLAB TO BE 3'-4" SQUARE FOR ADA SHOWER PANS (VERIFY THIS SIZE W/ SHOWER PAN MFR PRIOR TO POURING SLAB.)



REVISIONS
1. BLDG DEPT 5/21/04
2. PER OWNER 2/1/05

CONSULTANT

CITY OF LAS VEGAS, NEVADA
FIRE STATION #8

Dimension
Floor Plan

RECORD DRAWING

OWNER: CITY OF LAS VEGAS
DEPARTMENT OF PUBLIC WORKS
ARCHITECTURAL SERVICES
ARCHITECT OF RECORD
SAMUEL D. TOLMAN, AIA, NCARB
400 EAST STEWART AVENUE
LAS VEGAS, NEVADA 89101
PHONE: (702) 229-6535
FAX: (702) 382-5232
TDD: (702) 386-9108

DRAWN: EPB
FILE: F88-A1-2
DATE: 4/1/04
SCALE: 1/8"=1'-0"
SHEET NO: 041534104
CLV DWG NO: 630-101
SHEET NO: 638

A1.2