



- PLAN NOTES:**
1. Top of steel see wall elevations. Verify elevations with Architect.
 2. $c=$ denotes positive camber at mid-span. Where no camber is indicated fabricate beams with normal camber up.
 3. \longleftarrow denotes rigid (moment) connection see detail SS-5.
 4. For typical beam to beam and beam to column connections see SS-5.
 5. For typical details and notes see sheets SS-1 thru SS-10. For general notes see sheet SS-1.
 6. All steel stud walls to be brood at wall ends and at least every 25' of length per detail 15/SS-10.

- PLAN NOTES:**
1. Top of slab on grade elevation see Architect/Gen.
 2. Top of footing shall be a minimum 1'-0" below grade U.O.
 3. Slab on grade shall be 3" thick with #4 at 24" each way, 2" clear from top of slab. For method of placing slab on grade see 3/SS-1. For slab slopes, depressions, slab edge etc. see Arch'l drawings.
 4. $F\#$ and $CF\#$ denotes footing type see schedule and detail on sheet SS-1. $C-\#$ denotes caisson, see details on sheet SS-1.
 5. H denotes base plate type see schedule on sheet SS-1.
 6. For typical details and notes see sheets SS-1 thru SS-10. For general notes see sheet SS-1.
 7. 8" CMU wall, solid grouted, reinforce with #5 at 32" vert. and #4 at 24" horiz. Provide additional reinforcing at wall openings, ends, corners and intersections per details in sheet SS-4.
 8. $\text{---}\delta$ denotes step in continuous footing see SS-1.
 9. Verify all wall geometry and elevations with Architect prior to construction.
 10. All steel stud walls to be brood at wall ends and at least every 25' of length per detail 15/SS-10.

Decker Perich Architects
 1000 Bermuda Road, Ste. 100
 Las Vegas, Nevada 89119
 Tel: 702.333.2222
 Fax: 702.333.2222
 www.deckerperich.com

LOCINA ENGINEERING
 850 South Lake Street, Suite 200
 Las Vegas, NV 89108
 Phone: (702) 385-0385
 Fax: (702) 385-0317
 Email: info@locina.com
 LE-CO-000071

CITY OF LAS VEGAS
 FREEDOM PARK RENOVATION
 850 NORTH BIG LEAGUE BLVD.
 LAS VEGAS, NEVADA 89101
 FENWAY PARK

100%
 OWNER REVIEW

OWNER: CITY OF LAS VEGAS
 DEPARTMENT OF PUBLIC WORKS
 ARCHITECTURAL SERVICES

DESIGN APPROVAL: []
 CHECKED: []
 DATE: []
 TITLE: []

DATE: OCT. 24, 2008
 AS NOTED
 07/2004
 08/20/10

SC-41

21417

FENWAY PARK
 1/16" = 1'-0"