




113760



PROFILE 1




PROFILE 2



PROFILE 3

NOTE:
IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ADJUST THE CONCRETE INLET APRON AND/OR GRADE TO THE FINISHED GROUND SURFACE OR TO THE FINISHED GRADE OF THE ROADWAY SURFACE (WHICHEVER IS APPLICABLE) IF THE APRON AND/OR GRADE IS CONSTRUCTED PRIOR TO FINALIZING THE FINISHED GRADE, AND THE APRON EDGES AND CORNERS AND/OR GRADE IS BEYOND 0.02' VERTICAL TOLERANCE TO THE FINISHED GRADE. THE CONTRACTOR SHALL REMOVE AND REPLACE THE APRONS AND/OR GRADE AT HIS OWN EXPENSE TO WITHIN THIS TOLERANCE IF THIS CONDITION OCCURS.



AND GASED PLACES USE CONTACT. IT'S COSTLY

Call before you Overhead

1-702-227-2929

AREA PLANNING AND SURVEY SERVICES DEPARTMENT

CALL SOUTHWEST GAS AT 585-2298 FOR STANDBY WHEN EXCAVATING OVER OR NEAR HIGH PRESSURE GAS LINES

APPROVED

[Signature] 8-13-13

Las Vegas Valley Water District

Call 811

1-800-4-A-HEAD

1-702-455-1514

DRAIN BY: 08/08/2008		DESIGNED BY: 08/08/2008		CHECKED BY: 08/08/2008		PROJECT NO: SCALE: 1"=4'	
V.N.		V.N.		V.N.		V.N.	
SHEET 301		12 OF 25 SHEETS		DRAWING NO. 731-37-1		REV DATE BY	
12/2/03/							

PUBLIC WORKS DEPARTMENT

LAS VEGAS WATER DISTRICT

STORM DRAIN LATERALS

LAS VEGAS WATER DISTRICT MIDDLE BRANCH

DESALINER BOULEVARD

ELIOT ROAD TO INTERSTATE 505 DRIVE

2727 SOUTH RANGON BOULEVARD
LAS VEGAS, NV 89146
PH: 702-227-2929
FAX: 702-227-2927
WEB SITE: WWW.LVWD.COM