

- ① GRAB BAR "BOBRICK" B-6206 X 36" (MOUNT • 36" AFF.)
- ② GRAB BAR "BOBRICK" B-6206 X 42" (MOUNT • 36" AFF.)
- ③ TOILET PAPER DISPENSER "BOBRICK" B-60660 (MOUNT • 2'-0" AFF.)
- ④ STAINLESS STEEL MIRROR "BOBRICK" B-9446 (MOUNT BOTTOM OF REFLECTIVE SURFACE • 38" AFF. • HANDICAP ACCESSIBLE LAVATORY)
(CENTER MIRROR OVER LAVATORY.)
- ⑤ HAND DRYER "WORLD HAND DRYER" MODEL A5-PBLKA - BLACK (MOUNT BOTTOM OF UNIT • 37" AFF.) - REFERENCE FLOOR PLAN SHEET A1 FOR LOCATIONS.
- ⑥ TOILET PARTITIONS (DOORS) - MANUFACTURED BY GLOBAL GLO-GARD POWDER COATED STEEL. COLOR: BLACK (#3205).
INSTALL PER MFR. SPECIFICATIONS.



Room No.	Room Name	Floor	Base	Walls				Ceiling	Clg. Hgt.	Finishes & Materials	
				North	East	South	West				
1201	Women's	CC-2	_____	CMU ①	CMU ①	CMU ①	CMU ①	MTL DECK / IP-1	OPEN TO STRUCT.	CC-1 CC-2	CONCRETE W/ LIGHT BROOM FINISH CONCRETE W/ SMOOTH FINISH - SEALED
1202	Plumbing Chase	CC-2	_____	CMU ①	CMU ①	CMU ①	CMU ①	MTL DECK / IP-1	OPEN TO STRUCT.	EP-1	SINCLAIR - CM155-82
1203	Mens	CC-2	_____	CMU ①	CMU ①	CMU ①	CMU ①	MTL DECK / IP-1	OPEN TO STRUCT.	GT-1	(GROUT) - MATCH BLOCK COLOR
1204	Storage	CC-2	_____	CMU ①	CMU ①	CMU ①	CMU ①	MTL DECK / IP-1	OPEN TO STRUCT.	IP-1	SINCLAIR - CM155-78
1205	Covered Patio Area	_____	_____	CMU ①	CMU ①	CMU ①	CMU ①	MTL DECK / IP-1	OPEN TO STRUCT.		

① CMU TO BE SMOOTH-FACE TO MATCH THE COLOR OF THE SPLIT-FACE MASONRY ON EXTERIOR OF BUILDING.

Door No.	Size	Rating	Type	Material	Finish	Hardware		Frame			Details			
						No.	Additional Notes	Rating	Material	Finish	Head	Jamb	Jamb	Thrd.
101A	3'-8" x 7'-0" x 2"	---	B	TUBE STEEL	EP-1	---	OWNER PROVIDED PADLOCK	---	HM	EP-1	4:AS SIM	4:AS	4:AS	2
101B	3'-8" x 7'-0" x 2"	---	B	TUBE STEEL	EP-1	---	OWNER PROVIDED PADLOCK	---	HM	EP-1	4:AS SIM	4:AS	4:AS	2
102A	3'-0" x 7'-0" x 1 3/4"	---	A	HM	EP-1	1	---	---	HM	EP-1	3:AS	3:AS SIM	3:AS SIM	1
103A	3'-8" x 7'-0" x 2"	---	B	TUBE STEEL	EP-1	---	OWNER PROVIDED PADLOCK	---	HM	EP-1	4:AS SIM	4:AS	4:AS	2
103B	3'-8" x 7'-0" x 2"	---	B	TUBE STEEL	EP-1	---	OWNER PROVIDED PADLOCK	---	HM	EP-1	4:AS SIM	4:AS	4:AS	2
104A	8'-0" x 8'-0"	---	C	STL	EP-1	---	OWNER PROVIDED PADLOCK	---	---	---	6:AS	7:AS	7:AS	2
104B	3'-0" x 7'-0" x 1 3/4"	---	A	HM	EP-1	1	---	---	HM	EP-1	3:AS	3:AS SIM	3:AS SIM	1



Note to Scale



Scale: 3"=1'-0"

- ALL THRESHOLDS TO MEET ADA AND ANSI STANDARDS.
- ALL THRESHOLDS TO HAVE A MAXIMUM RISE OF 1/2" W/ A MAXIMUM SLOPE OF 1 : 2 (RISE TO RUN).
- ALL THRESHOLDS WITH A RISE OF 1/4" OR LESS MAY BE AT A RIGHT ANGLE TO A FLAT SURFACE.

