


SUMMERLIN ARBORS PARK POOL and POOL BUILDING

FOUNDATION PLAN




PLANS APPROVED
ARCHITECTURAL
Building & Safety Dept.
City of Las Vegas, Nevada
JCC JUL 31 2000
Does Not Include Structural, Electrical,
Plumbing/Mechanical or Civil Code
Improvements. Make No Change
Without Approval. That is
Not a Permit to Violate Any Ordinance.

**ONE HOUR
FIRE - RESISTIVE
CONSTRUCTION
THROUGHOUT**

PLANS APPROVED
RECEIVED
SEP 14 2000
City of Las Vegas Planning & Building Department

**BENNETT &
JIMENEZ, INC.**
STRUCTURAL
ENGINEERS
2481 N. Decatur Blvd.
Suite B
Las Vegas, NV 89108
B&J JOB NO.: 81011

Phone (702) 631-0200
FAX (702) 631-0206



FOUNDATION PLAN

SCALE : 1/8" = 1'-0"

FOUNDATION NOTES:

1. TOP OF FOOTING ELEVATIONS SHALL BE 98'-8" U.N.O. ON PLANS. FOR FOOTINGS SEE SCHEDULE THIS SHT.
2. TOP OF CONCRETE SLAB ON GRADE REF. ELEV. = 100'-0". CONCRETE SLAB ON GRADE SHALL BE 4" THK. w/#4 AT 24" O.C., E.W. 1" FROM TOP OF SLAB.
3. FOR SLAB CONSTRUCTION SEE DETAILS 12 & 13 ON DWG SS.01. SEE ARCH. DRAWINGS FOR SLAB SLOPES, DEPRESSIONS, CURBS, HOUSEKEEPING PADS AND DIMENSIONS NOT SHOWN HERE. FOR CURB DETAIL SEE 17/SS.01.
4. FOR TYP. CMU WALL CONSTRUCTION SEE DETAILS 5 THRU 10 ON SHT. SS.02.
5. SEE ARCHITECTURAL & MECHANICAL DRAWINGS FOR DIMENSIONS AND LOCATIONS OF SPECIAL EQUIPMENT.
6. SEE CIVIL DWGS FOR FINISHED GRADE & SIDEWALK ELEVATIONS.
7. SEE GEOTECHNICAL REPORT FOR PREPARATION OF THE SUB-BASE.
8. ---S--- INDICATES A STEPPED FOOTING SEE DET. 11/SS.01.
9. COLUMN-PIPE 8 STD., TYP. 8 PALCES.
10. STUD WALL 800XC16 AT 16" O.C.