

CONSTRUCTION NOTES


- 90 INSTALL SDR-35 PVC SANITARY SEWER (SIZE PER PLAN) IN ACCORDANCE WITH DCSWCS AND WITH DETAIL 2/CD-1
- 91 CONSTRUCT SANITARY SEWER MANHOLE (SIZE PER PLAN) IN ACCORDANCE WITH DETAILS 1/CD-9 AND 2/CD-9 AND WITH DCSWCS STD DWG NO. SD-1. PROVIDE CONCRETE COLLAR IN ACCORDANCE WITH DCSWCS STD DWG NO. SD-3B
- 95 BRICK AND MORTAR PLUG EXISTING SANITARY SEWER IN ACCORDANCE WITH DETAIL 1/CD-4
- 96 INSTALL C900/C905 PVC SANITARY SEWER (SIZE PER PLAN) IN ACCORDANCE WITH DCSWCS AND WITH DETAIL 2/CD-1
- 97 ABANDON EXISTING SANITARY SEWER OR STORM DRAIN (SIZE PER PLAN), SAND SLURRY AND PLUG BOTH ENDS OF PIPE IN ACCORDANCE WITH DCSWCS SECT. 3.14.1C
- 101 ABANDON EXISTING SANITARY SEWER OR STORM DRAIN MANHOLE IN ACCORDANCE WITH DCSWCS SECT. 3.14.2A
- 102 CONSTRUCT "T-LOCK" (OR APPROVED EQUAL) LINED SANITARY SEWER MANHOLE (SIZE PER PLAN) IN ACCORDANCE WITH DETAILS 1/CD-9 AND WITH DCSWCS STD DWG NO. SD-1. PROVIDE CONCRETE COLLAR IN ACCORDANCE WITH DCSWCS STD DWG NO. SD-3B
- 103 CONNECT EXISTING SANITARY SEWER LATERAL TO NEW MAIN IN ACCORDANCE WITH DETAIL 3/CD-9 AND WITH DCSWCS STD DWG NO. SD-23 AND SD-27.
- 104 CONSTRUCT SANITARY SEWER DROP MANHOLE (SIZE PER PLAN) IN ACCORDANCE WITH DETAIL 6/CD-9 AND WITH DCSWCS STD DWG NO. SD-12. PROVIDE CONCRETE COLLAR IN ACCORDANCE WITH DCSWCS STD DWG NO. SD-4. ALL DROP MANHOLES TO RECEIVE "T-LOCK" (OR APPROVED EQUAL) LINING AND DOOR CONTROL IN ACCORDANCE WITH SPECIAL PROVISION SECTION 630.

CAUTION !!!
HIGH PRESSURE GAS

CALL SOUTHWEST GAS CORPORATION AT (702) 365-2291 FOR STANDBY WHEN EXCAVATING OVER OR NEAR HIGH PRESSURE GAS LINES

UTILITY NOTE

UTILITY LOCATIONS SHOWN HEREON ARE APPROXIMATE ONLY. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXACT VERTICAL AND HORIZONTAL LOCATION OF ALL EXISTING UNDERGROUND UTILITIES PRIOR TO COMMENCING CONSTRUCTION. NO REPRESENTATION IS MADE THAT ALL EXISTING UTILITIES ARE SHOWN HEREON. THE ENGINEER ASSUMES NO RESPONSIBILITY FOR UTILITIES NOT SHOWN OR UTILITIES NOT SHOWN IN THEIR PROPER LOCATION. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PROTECT ALL EXISTING UTILITIES DURING CONSTRUCTION. ANY UTILITIES DAMAGED DURING CONSTRUCTION MUST BE REPAIRED IMMEDIATELY AND TO THE OWNER'S SATISFACTION AT THE CONTRACTOR'S EXPENSE.



CLARK COUNTY DEVELOPMENT SERVICES DATE _____
CDD'S IS TO INSPECT AND APPROVE ALL WORK DONE IN COUNTY RIGHT OF WAY
HTE #10-85508

CONTRACTOR MUST SUBMIT SHOP DRAWINGS TO LVWD BEFORE CONSTRUCTION TO SHOW HOW WATERLINES SPANNING A TRENCH WILL BE SUPPORTED DURING EXCAVATION & BACKFILL. DRAWINGS WILL INCLUDE ALL LOCATIONS WHERE WATERLINES SPAN A TRENCH GREATER THAN FOUR (4) FEET WIDE.

APPROVED FOR CONSTRUCTION
DATE 02/21/14 PROJECT NO. 114402 ESN 018

Call before you Dig
Call before you Overhead
1-800-4-A- Dig
1-702-227-2829
1-800-227-2800
1-702-455-7544

APPD

REVISIONS

NO.	DATE	DESCRIPTION
1	02/19/14	RELOCATED MANHOLES SM4 & VB8

POGGEMEYER DESIGN GROUP
6980 Smoke Ranch Suite 110
Las Vegas, Nevada 89128
702.255.8100 • 702.255.8375
www.poggemeyer.com

DRAWN BY: A. PILARZ 01/31/12
DESIGNED BY: A. PILARZ 01/31/12
CHECKED BY: S. DUNNAM 01/31/12
PROJECT NO: 05333-C SCALE: 1" = 40'

CITY OF LAS VEGAS NEVADA

DEPARTMENT OF PUBLIC WORKS
333 NORTH RANCHO • LAS VEGAS, NEVADA 89106 • (702) 229-6276

PROJECT TITLE: VEGAS DRIVE IMPROVEMENTS
SHADOW MTN PLACE TO RANCHO DR

SHEET TITLE: RELIEF SEWER PLAN & PROFILE
"SM" STA 16+50 TO STA 10+00

HANSEN NO. 11554

PROFESSIONAL SEAL: ADAM P. PILARZ, CIVIL ENGINEER, No. 21404

SHEET SS-11
72 of 86
CLV DRAWING NO. 107V4993
BID NO. 11554.12