


GRAPHIC SCALE



BASIS OF BEARING

NORTH 01°53'54" WEST, BEING THE CENTERLINE OF RAMPART BLVD. AS PER A MAP IN FILE 82, PAGE 64, OF PARCEL MAPS, CLARK COUNTY RECORDER'S OFFICE, CLARK COUNTY, NEVADA.

BENCHMARK

OLV00 305E6, BEING A RIVET AND PLATE, NEVADA POWER VAULT #UU-795, 9201, SUMMERLIN PARKWAY. ELEV: 828.1527 METERS NAVD88 (2717.03 FEET)

NOTE: ALL RETAINING WALLS SHALL RECEIVE A STUCCO FINISH IDENTICAL TO BUILDINGS AND A CAP AS DETERMINED BY THE ARCHITECT.

AVOID CUTTING UNDERGROUND UTILITY LINES. IT'S COSTLY.
Call before you Dig— 1-800-227-2600 UNDERGROUND SERVICE ALERT (USA)

AVOID OVERHEAD POWER LINE CONTACT
Call before you OVERHEAD 1-702-593-6111 NEVADA POWER ENVIRONMENT AND SAFETY SERVICES DEPARTMENT

MARTIN & MARTIN ASSUMES NO RESPONSIBILITY FOR EXISTING UTILITY LOCATIONS AND ELEVATIONS. THE UTILITIES SHOWN ON THIS DRAWING HAVE BEEN PLOTTED FROM THE BEST AVAILABLE INFORMATION. IT IS, HOWEVER, THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY THE LOCATION AND ELEVATION OF ALL UTILITIES PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION. CONTRACTOR TO FIELD VERIFY ALL EXISTING SITE CONDITIONS PRIOR TO CONSTRUCTION. IF A CONFLICT EXISTS BETWEEN WHAT IS SHOWN ON THESE DRAWINGS AND WHAT EXISTS IN THE FIELD, THE CONTRACTOR IS TO NOTIFY THE ARCHITECT OR ENGINEER IMMEDIATELY.

RETAINING WALL SCHEDULE - POOL GROTTTO

WALL TYPE	RETAINED HEIGHT	A WIDTH OF FOOTING	B DEPTH OF FOOTING	C WIDTH OF TOE	D FOOTING REINFORCEMENT (LONGITUDINAL)	E FOOTING REINFORCEMENT (HEEL-TOP)	F HOOK BAR REINFORCEMENT (TOE-BOTTOM)	G STEM WALL DETAIL	H STEM WALL DETAIL	I STEM WALL DETAIL	J STEM WALL DETAIL
A	0'0" - 2'0"	2'0"	1'0"	1'0"	2#4 CONTINUOUS	N/A	#5 @ 48" 10" LONG	2'0" 8" CMU #5@48" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	N/A	N/A	N/A
B	2'0" - 4'0"	3'0"	1'4"	1'0"	4#4 CONTINUOUS	N/A	#5 @ 48" 10" LONG	4'0" 8" CMU #5@48" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	N/A	N/A	N/A
C	4'0" - 6'0"	4'0"	1'4"	1'0"	3#5 CONTINUOUS	N/A	#7 @ 16" 14" LONG	2'0" 8" CMU #7@16" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	4'0" 8" CMU #5@48" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	N/A	N/A
D	6'0" - 8'0"	5'0"	1'4"	1'0"	4#5 CONTINUOUS	N/A	#7 @ 8" 14" LONG	2'0" 8" CMU #7@8" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	2'0" 8" CMU #7@16" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	4'0" 8" CMU #5@48" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	N/A
E	8'0" - 10'0"	6'0"	2'0"	1'0"	5#6 CONTINUOUS	#6 @ 16"	#7 @ 8" 14" LONG	2'0" 12" CMU #7@8" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	2'0" 12" CMU #7@16" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI	2'0" 8" CMU #5@16" VERT. @ CL #4 @24" HORZ. SOLID GROUT, SI	4'0" 8" CMU #5@48" VERT. @EDGE #4 @24" HORZ. SOLID GROUT, SI

SI = SPECIAL INSPECTION

1924

LEGEND

EXISTING **PROPOSED**


RIGHT-OF-WAY CENTERLINE
WATER LINE
SANITARY SEWER LINE
GAS LINE
STORM DRAIN
POWER LINE / POWER POLE
TELEPHONE LINE

SCREEN / RETAINING WALL
CHAIN LINK FENCE
TRASH ENCLOSURE
GRADE BREAK
WIRE FENCE
FINISH FLOOR
CLEANOUT INVERT ELEVATION
FLOW LINE
FINISH GRADE
BACK OF SIDEWALK
TOP OF CURB
TOP OF WALL
CONCRETE

100 W.H.P.S.
150 W.H.P.S.
200 W.H.P.S.
250 W.H.P.S.

A.C. PAVING
TYPE "L" CURB & GUTTER
TYPE "A" CURB

H:\CAD\1570\1570.dwg 11:09:40:21 1/98



PAUL STEELMAN LTD
ARCHITECTURE PLANNING
1000 SOUTH JONES BLVD.
SUITE 8
LAS VEGAS, NEVADA 89102
PHONE (702) 248-8000

MARTIN & MARTIN
CIVIL ENGINEERS
1900 SOUTH JONES BLVD.
SUITE 8
LAS VEGAS, NEVADA 89102
PHONE (702) 248-8000

THE RESORT AT SUMMERLIN
HOTEL, CASINO & ENTERTAINMENT COMPLEX
LAS VEGAS, NEVADA
DATE: 2-11-98
SCALE: 1"=30'
REVISION: 150
BULLETIN #8 (SEE BULLETIN) 2-11-98

RETAINING WALL PLAN

SHEET NUMBER
C6.03
SHEET 32 OF 32
ISSUED FOR CONTRACT BULLETIN #8
2-11-98

107-V 1830

