

INTEGRAL SIDEWALK AND CURB
SCALE: NONE

TYPICAL PAVEMENT SECTION
SCALE: NONE

"A" TYPE CURB DETAIL
PER STANDARD DRAWING # 219
SCALE: NONE

2' VALLEY GUTTER
SCALE: NONE

TYPICAL CONCRETE PAVEMENT SECTION
SCALE: NONE

SECTION B-B
SCALE: NONE

SECTION A-A
SCALE: NONE

EXPANSION JOINT

WEAKENED PLANE JOINT

NOTE:

1. ON ALL CURB RETURNS A 1/2" EXPANSION JOINT SHALL BE CONSTRUCTED BETWEEN THE BACK OF CURB AND THE SIDEWALK FOR THE ENTIRE LENGTH OF THE RETURN.
2. THE TYPE II AGGREGATE BASE THICKNESS IS SHOWN ON THE TYPICAL SECTION DRAWINGS 202-207.
3. LONGITUDINAL WEAKENED PLAN JOINT REQUIRED AT MIDPOINT OF SIDEWALK 10' OR WIDER.

SIDEWALK DETAIL
PER STD. DWG. #234
SCALE: NONE

[illegible]

Avoid cutting underground utility lines. It's costly

**Call
before you
Dig**

1-800-227-2600
UNDERGROUND SERVICE (USA)

Civilec
ENGINEERS/SURVEYORS/PLANNERS
4795 S. SANDHILL RD. LAS VEGAS, NV 89171
(702) 458-0099

VILLAGE SHOPPE
BUFFALO CHARLESTON CENTER
CITY OF LAS VEGAS, NEVADA

DETAIL SHEET

SCALE(H):1"= -
SCALE(V):1"= -
DES.BY: RAM
DWN.BY: AJS
CHK.BY: RAM
DATE: 11-95
PROJECT NO. 2882
FILE NO. 2882CSDT
SHEET 5
OF 5

28-7-29

107-V2470