


STREET LIGHT NOTES

1. HPS 100 WATT
2. SERVICE WIRE = 2# 2'5 1/2 THW
3. FIELD WIRE = 2-#4 THW
4. CONDUIT = 1 1/4" PVC

ESTIMATED QUANTITIES

612 L.F. 1 1/2" Curb & Gutter
4968 Sq. Ft. Sidewalk incl. Driveway Pk.
119 Sq. Yds. 2" AC Pav. w/ Base
5 Ea. Street Light Poles, Luminaires
& Wiring
35 Sq. Yds. Alley Paved & Box



2000 ----- EXISTING CONTOURS

NOTE: EXISTING TOPO FROM
"SURVEY AND TOPOGRAPHIC MAP"
BY HOB-VER CO., A.A. DULHARNE
SURVEY DOES NOT CLOSE - NO
RESOLUTION BY US.

APPROVALS: *William J. Smith* 6/30/78
David F. Causey 6/30/78
James Bolander 6/30/78
David F. Causey 6/30/78
James Bolander 6/30/78
David F. Causey 6/30/78

Nevada Power Company approves the plan of
service to the street light system. This plan
is deemed to be in compliance with the
light poles which may be in conflict with
Nevada Power Company's prior rights and/or facilities.

5/11/77
James Bolander
CLV TRAFFIC ENGINEER

NOTE: ALL CONSTRUCTION
TO CONFORM TO LATEST
UNIFORM STANDARD DRAWINGS
AND SPECIFICATIONS 1978

IMPROVEMENT PLAN

PREPARED BY


CAUSEY ENGINEERING SERVICE

PO BOX 14846 LAS VEGAS, NEV. 89114
(702) 384-7432

Job No. 7436-1

ENGINEER'S GENERAL NOTE: All work shall be constructed in full compliance with the standard
drawings and specifications of the governing authorities having jurisdiction in effect on the
date of the approval of the tentative map (if any) or the date of the approval of these plans,
whichever is earlier. No changes or alterations shall be made in these designs without advance
approval of the Engineer and of any governmental authority having jurisdiction.

REVISION NO.	DESCRIPTION	BY	DATE	APPROVAL
5	Add'l details - CLV	DB	6-27-78	
4	Add'l details per CLV Rev.	DB	6-21-78	
3	CORRECTED TITLE, ADDRESS AND DATE OF MAP - SEE CLV 3-20-78	DB	6-10-78	
2	Proposed cut & fill	DB	4-25-77	
1	SEWER LATERAL SIZE & LOCATION	W.R.B.	11-24-76	



David F. Causey
REGISTERED ENGINEER NO. 1011

GRADING & SITE IMPROVEMENT PLAN

SPANISH TRAIL

4-21-77

1074-2789
7-8-75

STREET LIGHTING NOTES

- 1. 100' intervals
- 2. 200' intervals
- 3. 300' intervals
- 4. 400' intervals
- 5. 500' intervals
- 6. 600' intervals
- 7. 700' intervals
- 8. 800' intervals
- 9. 900' intervals
- 10. 1000' intervals

STREET LIGHTING NOTES

- 1. 100' intervals
- 2. 200' intervals
- 3. 300' intervals
- 4. 400' intervals
- 5. 500' intervals
- 6. 600' intervals
- 7. 700' intervals
- 8. 800' intervals
- 9. 900' intervals
- 10. 1000' intervals

IMPROVEMENT PLAN

CAREY ENGINEERING SERVICE

P.O. BOX 1000, LOS ANGELES, CALIF.

CHAS. 200-7400

Jan. 10, 1951

NO.	DATE	BY	REVISION
1	1/10/51	J. C. CAREY	PREPARED
2	1/10/51	J. C. CAREY	CHECKED
3	1/10/51	J. C. CAREY	APPROVED
4	1/10/51	J. C. CAREY	FINAL



SPANISH TRAIL JCT.