



$$1 \frac{1}{2}^{\circ}:1'-0''$$



DETAIL SUPPORT AT WALL
1 1/2":1'-0" ADDITIVE ALTERNATE




DETAIL INTERMEDIATE SUPPORT
1 1/2":1'-0" ADDITIVE ALTERNATE



DETAIL LATERAL SUPPORT
1 1/2":1'-0" ADDITIVE ALTERNAT


$$1/8'' = 1'-0''$$


DETAIL PARAPET WALL BRACE

 $3^{\circ}:1'-0''$ 

DETAIL MOLDING



DETAIL MICRO LAM HEADER

NOTE:

ROOF TRUSSES BY TRUSS MANUFACTURER.
MANUFACTURER TO PROVIDE FOR MECHANICAL
LOADS AS SHOWN IN MECHANICAL PLANS, IN
ADDITION TO DEAD LOAD OF 18 PSF AND
LIVE LOAD OF 20 PSF.
MANUFACTURER TO PROVIDE STRUCTURAL
CALCULATIONS STAMPED BY A NEVADA
REGISTERED CIVIL ENGINEER. SUB-
MIT CALCULATIONS DIRECTLY TO
BUILDING OFFICIAL FOR APPROVAL.

2 1/2" STRUCT. II (CDX) PLYWOOD W/ 8d NAILS @ 6" O.C.
EDGES & 12" O.C. FIELD.

3 1/2" STRUCT. II (CDX) PLYWOOD W/ 8d NAILS @ 4" O.C.
EDGES & 12" O.C. FIELD.

CITY OF LAS VEGAS
400 EAST STEWART AVENUE
LAS VEGAS, NEVADA 89101

