



PROFILE SCALE
 HORIZONTAL 1" = 20'
 VERTICAL 1" = 4'

- STORM DRAIN**
- 1 (SD) INSTALL 18" RCP STORM DRAIN.
 - 2 (SD) INSTALL 24" RCP STORM DRAIN.
 - 4 (SD) INSTALL TYPE "B" STORM DRAIN DROP INLET PER SUMMERLIN STANDARD DRAWING D-13.
- SEWER**
- 1 (S) INSTALL STANDARD 4" SEWER MANHOLE PER CLARK COUNTY SANITATION DISTRICT STANDARD DRAWINGS.
 - 2 (S) INSTALL 8" PVC (SDR-35) SEWER LINE.
 - 3 (S) REMOVE END CAP AND JOIN TO EXIST. 8" SEWER (VERIFY EXIST. INVERT ELEVATION).



COMMON LOT "K" PLAN

NOTE: CITY OF LAS VEGAS TO MAINTAIN UNDERGROUND PIPE.
 PRIVATE ASSOCIATION TO MAINTAIN SURFACE OF COMMON LOT K.



KEY MAP
 N.T.S.

RECOMMENDED	DATE	REV	DATE	DESCRIPTION
	1-10-95			

ENGINEER
 STATE OF NEVADA
 GARY R. BUSBY
 CIVIL
 No. 1051

PLANNING
 CIVIL ENGINEERING
 LANDSCAPE ARCHITECTURE
 ARCHITECTURE
 CONSTRUCTION MANAGEMENT

THE KEITH COMPANIES
 NEVADA
 4052 30 INDUSTRIAL RD. LAS VEGAS, NV 89103 (702) 738-0590

ENGINEER
**SUMMERLIN VILLAGE 7
 HALF ACRES - "MOUNTAIN TRAILS"
 STORM DRAIN / SEWER
 PLAN AND PROFILE**

SHEET
U-1

11-19-223 3271-4371