



NEVADA
CALIFORNIA
CROWN CHAIR
1510 CROWN CHAIR
LAS VEGAS, NV 89102
702.731.2025 F
702.731.2025 F

Reviewed Architecture

jma

Covenant Care
Silver Hills Expansion
Las Vegas, NV 89129
2006219

Design Development
1-31-07
NOT FOR
CONSTRUCTION

Issued For: 7
Date: 7

Project Number: 2000119
New Site Plan

A1.02

EXISTING SITE ANALYSIS:

APN:	100-000-000
LAND:	3.00 AC TOTAL SITE
DEVELOPED PORTION:	3.00 AC (100% OF SITE)
NUD:	30.00 AC (100% OF SITE)
LAND BLDG W/TO:	3.30 AC (100%)
CONCRETE:	0%

ADDITIONAL ANALYSIS:

1. BLDG FOR EVERY 1 FAMILIES (E) 1:	23.3 ± 24
1. BLDG FOR EVERY 1 FAMILIES (E) 2:	24
TOTAL NUD:	12
TOTAL PROVIDED:	108
AC STILL PROVIDED:	108

ADDITIONAL SITE ANALYSIS:

APN:	100-000-000
LAND:	3.00 AC TOTAL SITE
DEVELOPED PORTION:	3.00 AC (100% OF SITE)
NUD:	30.00 AC (100% OF SITE)
LAND BLDG W/TO:	3.30 AC (100%)
CONCRETE:	0%

ADDITIONAL ANALYSIS:

1. BLDG FOR EVERY 1 FAMILIES (E) 1:	23.3 ± 24
1. BLDG FOR EVERY 1 FAMILIES (E) 2:	24
TOTAL NUD:	12
TOTAL PROVIDED:	108
AC STILL PROVIDED:	108

TOTAL SITE ANALYSIS:


APN:	100-000-000
LAND:	3.00 AC TOTAL SITE
DEVELOPED PORTION:	3.00 AC (100% OF SITE)
NUD:	30.00 AC (100% OF SITE)
LAND BLDG W/TO:	3.30 AC (100%)
CONCRETE:	0%

ADDITIONAL ANALYSIS:

1. BLDG FOR EVERY 1 FAMILIES (E) 1:	23.3 ± 24
1. BLDG FOR EVERY 1 FAMILIES (E) 2:	24
TOTAL NUD:	12
TOTAL PROVIDED:	108
AC STILL PROVIDED:	108

- SITE NOTES:
- 1. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 2. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 3. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 4. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 5. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 6. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 7. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 8. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 9. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 10. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 11. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 12. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 13. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 14. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 15. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 16. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 17. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 18. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 19. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 20. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 21. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 22. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 23. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 24. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 25. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 26. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 27. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 28. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 29. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 30. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 31. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 32. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 33. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 34. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 35. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 36. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 37. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 38. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 39. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 40. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 41. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 42. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 43. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 44. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 45. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 46. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 47. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 48. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 49. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 50. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 51. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 52. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 53. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 54. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 55. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 56. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 57. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 58. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 59. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 60. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 61. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 62. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 63. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 64. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 65. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 66. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 67. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 68. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 69. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 70. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 71. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 72. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 73. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 74. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 75. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 76. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 77. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 78. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 79. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 80. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 81. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 82. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 83. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 84. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 85. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 86. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 87. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 88. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 89. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 90. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 91. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 92. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 93. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 94. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 95. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 96. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 97. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 98. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 99. CONCRETE SHALL BE 4000 PSI CONCRETE
 - 100. CONCRETE SHALL BE 4000 PSI CONCRETE

INDICATES ACCESSIBLE ROUTE




VICINITY MAP




ZON-20470
04/26/07 PC

11 NEW SITE PLAN (APN 138-10-301-018)
A1.02 1"=30'-0"



16 PILASTER DETAIL
A1.02 1"=8'-0"



17 PILASTER SECTION
A1.02 1"=8'-0"

EXPLANATION OF SYMBOLS