





PROPOSED  
IMPERIAL SPA AT LAS VEGAS

1070 E. SAHARA AVE.  
LAS VEGAS, NV 89104

PROPOSED  
FIRST FLOOR PLAN

- A-12.1
- A-12.2
- A-12.3
- A-12.4
- A-12.5
- A-12.6

DATE: JAN. 2, 2008

- ALL OTHERS ON PLAN
- DISTING WALL DEMOLISHED

A-4.0

1 PROPOSED FIRST FLOOR PLAN  
SCALE: 1/8"=1'-0"

KEY NOTES

- |   |   |
|---|---|
| 1) DOOR   | 8) H/C COMPLETED SHOWER, SEE: A-11.0 / 11 |
| 2) COUNTER - SEE DETAIL: A-11.0 / 1                                   | 9) C/C COLUMN TO BE REMAIN                |
| 3) NEW ADA COMPLIANT H/C COUNTER<br>MIN. 36" WIDE & MAX. 34" HT.      | 10) ADA SHING LIFT HOLE W/ SST. COVER     |
| 4) WOMAN'S SHOES RACK   | 11) DRINKING FOUNTAINS                    |
| 5) MEN'S SHOES RACK   | 12) STANDING SHOWER, SEE: A-10.1 / 1      |
| 6) MIRROR W/ ALLUM. FRAME   | 13) HOT TUB, SEE: A-10.2 / 2              |
| 7) POWDER COUNTER-WALNUT WOOD VENEER FINISHED<br>W/ STONE TOP FINISH. | 14) SITTING SHOWER, SEE: A-10.0 / 1       |

- |                             |
|-----------------------------|
| 15) 1-HR CONSTRUCTION       |
| 16) LOCKERS                 |
| 17) SHOES RACK              |
| 18) C/C COLUMN TO BE REMAIN |
| 19) C/C COLUMN TO BE REMAIN |

ALL CLV COMMENTS ON APPROVED  
PLAN DATED MAY 17, 2005 TO  
REMAIN VALID AND WILL FORM  
PARTS OF THIS RESUBMITTAL.

LEGENDS:

- DISTING WALL TO REMAIN
- NEW PARTITION WALL TO INSTALL, SEE DETAIL A-12.3 / 14
- NEW 1-HR RATED FILL HEIGHT WALL, SEE DETAIL A-12.3 / 9
- DISTING WALL DEMOLISHED

ROC-28824  
08-06-08 CC

