



Case Number: **VAR-28973** APN: 138-36-407-016

Name of Property Owner: Juan Anderson

Name of Applicant: John Anderson

Name of Representative: William Alan Anderson

To the best of your knowledge, does the Mayor or any member of the City Council or Planning Commission have any financial interest in this or any other property with the property owner, applicant, the property owner or applicant's general or limited partners, or an officer of their corporation or limited liability company?

Yes

~~No~~

If yes, please indicate the member of the City Council or Planning Commission who is involved and list the name(s) of the person or persons with whom the City Official holds an interest. Also list the Assessor's Parcel Number if the property in which the interest is held is different from the case parcel.

City Official: _____

Partner(s): _____

APN: 138-36-407-016

Signature of Property Owner:


Print Name: _____


Subscribed and sworn before me

This 31st day of July, 2008

Full Name Ada Fimo


Notary Public in and for said County and State



DOOR AND WINDOW /
SCHEDULE


- (A) 5'-0"x6'-8" FRENCH DOOR
 (1) 3'-0"x3'-0" A. SLIDE WIND.
 (2) 3'-0"x4'-0" A. SLIDE WIND.
 (3) 14X16 WALL-MOUNTED UNIT

NOTE: MUST COMPLY WITH IEC



ELECTRICAL SYMBOLS

- 9  LIGHT
3  SWITCH
6  OUTLET
11. ALL BRANCH CIRCUITS THAT SUPPLY 125-VOLT SINGLE PHASE, 15A/20 AMPERE RECEPTACLE CIRCUITS IN A DWELLING UNIT RECEPTORS SHALL BE PROTECTED BY AN ARC-FAULT CIRCUIT INTERRUPTER (AFCI).
12. ALL EXTERIOR RECEPTABLES ARE GFCI.
13. RECEPTABLE OUTLETS SHALL BE PROVIDED SO MORE THAN 6 FEET FROM ANY POINT ALONG THE FLOOR LINE INCLUDING WORK AREAS. 3 FEET OF WORK IN KITCHEN, KITCHEN AND DINING COUNTER TOPS, WASH ROOMS, 12 INCHES SHALL BE PROVIDED WITH A RECEPTABLE OUTLET.
14. PROVIDE AN OUTLET ADJACENT TO EACH BATHROOM SINK.



PLOT PLAN

SCALE 3/32"=1'-0"

RECEIVED
AUG 01 2008

VAR-28973

REVISED
08/28/08 PC

[illegible]

PROPOSED BY: JUAN ANDERSON
ADDRESS JOB: 1000 MOHAWK ST. LV NV 89107
JOB: ACCESSORY STRUCTURE PHONE: 324-5191

SHEET

个