



**PLANNING & DEVELOPMENT DEPARTMENT**

**STATEMENT OF FINANCIAL INTEREST**

Case Number: RRR-30442 APN: 139-31-310-133

Name of Property Owner: Yong H Jung

Name of Applicant: Yong H Jung

Name of Representative: \_\_\_\_\_

To the best of your knowledge, does the Mayor or any member of the City Council or Planning Commission have any financial interest in this or any other property with the property owner, applicant, the property owner or applicant's general or limited partners, or an officer of their corporation or limited liability company?

\_\_\_\_\_ Yes  No

If yes, please indicate the member of the City Council or Planning Commission who is involved and list the name(s) of the person or persons with whom the City Official holds an interest. Also list the Assessor's Parcel Number if the property in which the interest is held is different from the case parcel.

City Official: \_\_\_\_\_

Partner(s): \_\_\_\_\_

APN: \_\_\_\_\_

Signature of Property Owner: [Signature]

STATE OF NEVADA }  
COUNTY OF CLARK } SS. Print Name: Yong H Jung

Subscribed and sworn before me


This 25 day of OCTOBER, 2008  
[Signature]  
Notary Public in and for said County and State





DESATUR BLVD.

LORNA PLACE



DRIP IRRIGATION

LANDSCAP PLAN 1/8"=1'-0"



24 BOX GARDEN MESQUITE (BRUNNEN) PROCRATIS CHILSENSIS



5000 FOUNTAIN GRASS PENNISETHI STACEUM

PLANTING GENERAL NOTES

1. ALL PLANTS AND INGROUND LIGHTING LOCATIONS ARE TO BE FIELD LOCATED AND APPROVED BY SIGNER, PRIOR TO FINAL IMPLEMENTATION.
2. LANDSCAPE CONTRACTOR TO COORDINATE WITH EXCAVATION CONTRACTOR WHERE REQUIRED FOR PLANTER AREAS TO ENSURE POSITIVE DRAINAGE IN CONFORMANCE WITH CIVIL ENGINEER REQUIREMENTS. KEEP ALL PLANTING A MIN. OF 5'-0" FROM ELEC. FOUNDATIONS AND UNDERGROUND SEWER. ENSURE POSITIVE DRAINAGE AWAY FROM STRUCTURES.
3. PROVIDE MIN. OF 2" RG (DECOMPOSED GRANITE) TYPE AS PERFORMED BY SURVEILLOR DURING REVIEW REQUIREMENTS AT ALL PLANTER LOCATIONS UNTO 10" WITHIN 1" OF TOP OF ADJACENT CURB OR SIDEWALKS.
4. DO NOT INSTALL PEEP THROUGH FIRE-RESISTANT MEMBRANE TO PLANTER SOILS. INSTALL RG, MAKE SMOOTH AND WATER TO FULL DEPTH OF 2". LET DRY AND LIGHTLY SCRAPE SURFACE RELEASING FINE LOOSE GRANULES ON TOP LAYER.
5. KEEP TREE PLANTING A MIN. OF 4'-0" FROM ALL SIDEWALKS. PLANTING WHICH EXCEEDS 24" IN HEIGHT ARE NOT PERMITTED WITHIN SIGHT VISIBILITY ZONE.

NOTE:

A PERMANENT UNDER GROUND SPARKLEK SHALL BE INSTALLED IN ALL LANDSCAPE AREAS AS REQUIRED BY CITY OF LAS VEGAS AND SHALL BE PERMANENTLY MAINTAINED IN A SATISFACTORY MANNER.

RECEIVED

OCT 23 2008

RQR-30442  
12/04/08 PC

REVISIONS	BY

CONTRACTOR:  
FINE CONSTRUCTION CORP.  
1640A LUG B5557

PROJECT: DYNING RE-FUND.  
LOCATION: SB CORNER OF DESATUR BLVD & LORNA PLACE  
DRAWN/ACCOMPT BY: JUNG

DRAWN
CHECKED
DATE
SCALE
JOB NO.
SHEET

OF SHEETS