





DESIGN DATA	
NO. 100	100
NO. 101	101
NO. 102	102
NO. 103	103
NO. 104	104
NO. 105	105
NO. 106	106
NO. 107	107
NO. 108	108
NO. 109	109
NO. 110	110
NO. 111	111
NO. 112	112
NO. 113	113
NO. 114	114
NO. 115	115
NO. 116	116
NO. 117	117
NO. 118	118
NO. 119	119
NO. 120	120
NO. 121	121
NO. 122	122
NO. 123	123
NO. 124	124
NO. 125	125
NO. 126	126
NO. 127	127
NO. 128	128
NO. 129	129
NO. 130	130
NO. 131	131
NO. 132	132
NO. 133	133
NO. 134	134
NO. 135	135
NO. 136	136
NO. 137	137
NO. 138	138
NO. 139	139
NO. 140	140
NO. 141	141
NO. 142	142
NO. 143	143
NO. 144	144
NO. 145	145
NO. 146	146
NO. 147	147
NO. 148	148
NO. 149	149
NO. 150	150
NO. 151	151
NO. 152	152
NO. 153	153
NO. 154	154
NO. 155	155
NO. 156	156
NO. 157	157
NO. 158	158
NO. 159	159
NO. 160	160
NO. 161	161
NO. 162	162
NO. 163	163
NO. 164	164
NO. 165	165
NO. 166	166
NO. 167	167
NO. 168	168
NO. 169	169
NO. 170	170
NO. 171	171
NO. 172	172
NO. 173	173
NO. 174	174
NO. 175	175
NO. 176	176
NO. 177	177
NO. 178	178
NO. 179	179
NO. 180	180
NO. 181	181
NO. 182	182
NO. 183	183
NO. 184	184
NO. 185	185
NO. 186	186
NO. 187	187
NO. 188	188
NO. 189	189
NO. 190	190
NO. 191	191
NO. 192	192
NO. 193	193
NO. 194	194
NO. 195	195
NO. 196	196
NO. 197	197
NO. 198	198
NO. 199	199
NO. 200	200



Site Plan


Scale: 1" = 20'-0"
BBDC Project No. 103A
Version 3

Land-Use Submittal
August 4, 2009

RECBBDCFlying.us LLC - Las Vegas
700 East Sahara Avenue, Las Vegas, Nevada

SDR-35186

09/24/09 PC



RECEIVED
SEP 03 2009




Land-Use Submittal
Revised September 4, 2009

BodyFlying.us LLC - Las Vegas
700 East Sahara Avenue, Las Vegas, Nevada

SDR-35186

REVISED

09/24/09 PC



- LANDSCAPING GENERAL NOTES:
1. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE TO VERIFY ALL PLANT QUANTITIES. THE PLANT LIST IS INTENDED AS A REFERENCE ONLY.
 2. THE LANDSCAPE CONTRACTOR SHALL APPROVE ALL PLANT MATERIAL PRIOR TO INSTALLATION. PLANT MATERIAL SHALL BE INSTALLED WITHIN THE SPECIFIED TIME FRAME AND IN THE SPECIFIED QUANTITY. PLANT MATERIAL SHALL BE INSTALLED WITHIN THE SPECIFIED TIME FRAME AND IN THE SPECIFIED QUANTITY.
 3. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE TO DESIGN BUILD THE IRRIGATION SYSTEM IN ACCORDANCE WITH LOCAL CODES AND ACCEPTABLE INDUSTRY STANDARDS.
 4. DISCOMPOSED GRASSES USED ON THIS PROJECT SHALL BE 1/4" BARS. COLOR SHALL BE GREEN. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE TO DESIGN BUILD THE IRRIGATION SYSTEM IN ACCORDANCE WITH LOCAL CODES AND ACCEPTABLE INDUSTRY STANDARDS.
 5. LANDSCAPE BOUNDARY COLOR SHALL MATCH OR COMPLEMENT BODILY GRASS/ROCK. ALL LANDSCAPE BOUNDARY COLOR SHALL MATCH OR COMPLEMENT BODILY GRASS/ROCK. ALL LANDSCAPE BOUNDARY COLOR SHALL MATCH OR COMPLEMENT BODILY GRASS/ROCK.
 6. THE BOLLARD SHALL BE SET BY THE LANDSCAPE CONTRACTOR WITH NO MORE 1/4" OF ROCK DIAMETER SET INTO THROAT GRADE.
 7. ALL LANDSCAPING SHALL BE INSTALLED PER CITY OF LAS VEGAS TITLE 19 ZONING CODE AND CITY OF LAS VEGAS LANDSCAPE DESIGN SPECIFICATIONS.
 8. EACH PLANT SHALL BE SHOWN WITH ITS OWN RWP IRRIGATION LINE. MAIN LINES SHALL BE A MINIMUM OF 1" AND BOLLARD VALVES SHALL BE INCORPORATED AT DIFFERENT PLANTING LOCATIONS.
 9. ALL AREAS SHALL RECEIVE DISCOMPOSED GRASS/ROCK AS COVERING UNLESS NOTED OTHERWISE.
 10. ALL LANDSCAPING SHALL BE INSTALLED WITHIN THE SPECIFIED TIME FRAME AND IN THE SPECIFIED QUANTITY.
 11. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF ALL RWP AND IRRIGATION SYSTEMS. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF ALL RWP AND IRRIGATION SYSTEMS.
 12. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF ALL RWP AND IRRIGATION SYSTEMS. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF ALL RWP AND IRRIGATION SYSTEMS.
 13. ANY REQUIRED PLANT MAINTENANCE SHALL BE NOTED ON THE PLANTING PLAN.
 14. ALL EXISTING LANDSCAPE AREAS SHALL BE DE-INDEXED AND SHALL HAVE THE TOP 4" OF SOIL REPLACED WITH CLEAN RED PINE MATERIAL. ALL EXISTING LANDSCAPE MATERIAL SHALL BE REMOVED AND SHIPPED OFF.


SYMBOL	RECOMMENDATION	COMMENTS	SIZE
	WANDERING MONSTER VIBRANT	MONITOR FINE PALM	20 FEET 8 IN AT STREET ROW
	SPRING ANEMONE "TRIPLE RING"	PURPLE ROSE LOCUST	24" DIA. URBAN
	SHRUBS - MILE	CHATELAIN PINKY BEE	24" DIA. URBAN ORBIT

SYMBOL	RECOMMENDATION	COMMENTS	SIZE
	ROSEMARY OFFICIALS	ROSEMARY	5 GAL
	WANDERING MONSTER	DEEP GRASS	5 GAL
	SPRING ANEMONE	CELESTIAL MARIGOLD	5 GAL
	WANDERING MONSTER	RED YUCCA	5 GAL
	WANDERING MONSTER	HEAVENLY BANGLOO	5 GAL
	WANDERING MONSTER	CELESTIAL LANTANA	5 GAL - VARIOUS COLORS
	ROSEMARY - TYP.	WAND - 24" TO 48" - SEE NOTES ABOVE	

Landscape Plan

Scale: 1" = 20'-0"
Project No.: 1109A
Version: 3c

Approved for Construction: [Signature] Date: 09/24/09. This is the final approved plan for construction. Any changes to this plan must be approved by the architect and the landscape architect. The landscape architect is not responsible for any construction errors or omissions.



South Elevation

RECEIVED


JUL 14 2009

Land-Use Submittal
July 9, 2009


Exterior Elevations

Scale: 1/8" = 1'-0"
 B80G Project No.: 1109A
 Version 2

BodyFlying.us LLC - Las Vegas
700 East Sahara Avenue, Las Vegas, Nevada
SDR-35186
08/27/09 PC



East Elevation



North Elevation

RECEIVED

SDR-35186

JUL 14 2009

08/27/09 PC

Land-Use Submittal
 July 9, 2009

Exterior Elevations

Scale: 1/8" = 1'-0"
 BIDD Project No.: 1109A
 Version 2

BodyFlying.us LLC - Las Vegas
 700 East Sahara Avenue, Las Vegas, Nevada



Land-Use Submittal
 July 9, 2009




BodyFlying.us LLC - Las Vegas
 700 East Sahara Avenue, Las Vegas, Nevada

SDR-35186

08/27/09 PC


RECEIVED

JUL 14 2009




Level 6 (Motor)

Level 5 (Propeller)



Level 4 (Spectator)



Level 3 (Flyers)

Level 2 (Storage)

Level 1 (Entrance)

AREA SQUARE FOOTAGE BREAKDOWN:

AREAS	TECHNICAL AREA	BUSINESS AREA
LEVEL B	250 S.F.	0 S.F.
LEVEL 1	250 S.F.	27 S.F.
LEVEL 2	524 S.F.	0 S.F.
LEVEL 3	185 S.F.	3,641 S.F.
LEVEL 4	185 S.F.	3,489 S.F.
LEVEL 5	185 S.F.	0 S.F.
LEVEL 6	233 S.F.	0 S.F.
TOTALS	2,375 S.F.	7,604 S.F.


TOTAL AREAS = 9,979 SQUARE FEET

Floor Plans


Scale: 3/32" = 1'-0"
 BDDG Project No.: 1109A
 Version: 2

These drawings are prepared by the Architect and are not to be used for any other purpose without the written consent of the Architect. The Architect assumes no responsibility for the accuracy or completeness of the information provided by the client. The client is responsible for the accuracy and completeness of the information provided by the client. The Architect assumes no responsibility for the accuracy or completeness of the information provided by the client. The client is responsible for the accuracy and completeness of the information provided by the client.


Color and Materials Board




Typical EIFS and Accent
Paint and Trim Colors




Typical Glazing Color
PPG Solarban® z50 or equal



Typical EIFS
Field Color



Typical Storefront/Glazing
Colors - Anodized Aluminum



Typical Exposed
Concrete



Typical Aluminum
Metal Siding



RECEIVED

JUL 14 2009

Prepared by:

**BRESLIN
BUILDERS**

SDR-35186

08/27/09 PC

SDR 35186				
Bodyflying US, LLC				
700 E. Sahara Ave.				
Proposed 10 thousand square foot indoor amusement facility.				
Traffic produced by proposed development:				
Existing Use	DESCRIPTION	#UNIT	RATE/# UNIT	TOTAL
Average Daily Traffic (ADT)	MEDICAL-DENTAL OFFICE BUILDING [1000 SF]	3.5	36.13	126
AM Peak Hour			2.48	9
PM Peak Hour			3.72	13
(heaviest 60 minutes)				
New Proposal	DESCRIPTION	#UNIT	RATE/# UNIT	TOTAL
Average Daily Traffic (ADT)	RECREATIONAL COMM CTR [1000SF]	10	22.88	229
AM Peak Hour			1.62	16
PM Peak Hour			1.64	16
(heaviest 60 minutes)				
Net Change	DESCRIPTION	#UNIT		TOTAL
Average Daily Traffic (ADT)	FAST-FOOD W/ DRIVE THRU [1000 SF]	6.5		103
AM Peak Hour				7
PM Peak Hour				3
(heaviest 60 minutes)				
Existing traffic on all nearby streets:				
Sahara Ave.				
Average Daily Traffic (ADT)	56,901			
PM Peak Hour	4552			
(heaviest 60 minutes)				
6th St.				
Average Daily Traffic (ADT)	2,917			
PM Peak Hour	233			
(heaviest 60 minutes)				
Traffic Capacity of adjacent streets				
	Adjacent street ADT			
	Capacity			
Sahara Ave.	51800			
6th St.	16900			

This project will add approximately 103 trips per day on Sahara Ave. and 6th St. This will increase the existing volumes by less than 1 percent on Sahara and about 4 percent on 6th. Sahara is currently over capacity and 6th is at about 17 percent of capacity.				
Based on Peak Hour use, this development will add roughly 7 additional cars into the area; which works out to about 1 every 9 minutes.				
Note that this report assumes all traffic from this development uses all named streets.				