



PLANNING & DEVELOPMENT DEPARTMENT

STATEMENT OF FINANCIAL INTEREST

Case Number: **SDR-35195** APN: 139-26-201-004

Name of Property Owner: 4444 South Valley View Drive LLC

Name of Applicant: A Cab Taxi CO.

Name of Representative: Ballard Spahr Andrews & Ingersoll, LLP

To the best of your knowledge, does the Mayor or any member of the City Council or Planning Commission have any financial interest in this or any other property with the property owner, applicant, the property owner or applicant's general or limited partners, or an officer of their corporation or limited liability company?

☐ Yes


☒ No

If yes, please indicate the member of the City Council or Planning Commission who is involved and list the name(s) of the person or persons with whom the City Official holds an interest. Also list the Assessor's Parcel Number if the property in which the interest is held is different from the case parcel.

City Official: _____

Partner(s): _____

APN: _____


Signature of Property Owner: 


Print Name: Creighton J. Nady

Subscribed and sworn before me

This 14th day of July, 2009

Cindy Lou Ord
Notary Public in and for said County and State





SITE PLAN

A Cab Taxi Company
 Site Development Review
 1500 Searles Avenue
 Las Vegas, Nevada 89101

ASI00
RECEIVED
 AUG 03 2009


VAC-35193 SDR-35195
REVISED
09/10/09 PC

A Cab Taxi Company
 Site Development Review
 1500 Searles Avenue
 Las Vegas, Nevada 89101


APTUS Architecture
 1500 South Main Street
 Las Vegas, Nevada 89104
 P 702.891.1213

Site and Project Information

SITE DATA	PARCEL NUMBER	139-26-201-004
APN	139-26-102-008	
APN	139-26-201-005	
APN	139-26-201-006	
APN	139-26-201-007	
APN	139-26-201-008	
APN	139-26-201-009	
APN	139-26-201-010	
APN	139-26-201-011	
APN	139-26-201-012	
APN	139-26-201-013	
APN	139-26-201-014	
APN	139-26-201-015	
APN	139-26-201-016	
APN	139-26-201-017	
APN	139-26-201-018	
APN	139-26-201-019	
APN	139-26-201-020	
APN	139-26-201-021	
APN	139-26-201-022	
APN	139-26-201-023	
APN	139-26-201-024	
APN	139-26-201-025	
APN	139-26-201-026	
APN	139-26-201-027	
APN	139-26-201-028	
APN	139-26-201-029	
APN	139-26-201-030	
APN	139-26-201-031	
APN	139-26-201-032	
APN	139-26-201-033	
APN	139-26-201-034	
APN	139-26-201-035	
APN	139-26-201-036	
APN	139-26-201-037	
APN	139-26-201-038	
APN	139-26-201-039	
APN	139-26-201-040	
APN	139-26-201-041	
APN	139-26-201-042	
APN	139-26-201-043	
APN	139-26-201-044	
APN	139-26-201-045	
APN	139-26-201-046	
APN	139-26-201-047	
APN	139-26-201-048	
APN	139-26-201-049	
APN	139-26-201-050	
APN	139-26-201-051	
APN	139-26-201-052	
APN	139-26-201-053	
APN	139-26-201-054	
APN	139-26-201-055	
APN	139-26-201-056	
APN	139-26-201-057	
APN	139-26-201-058	
APN	139-26-201-059	
APN	139-26-201-060	
APN	139-26-201-061	
APN	139-26-201-062	
APN	139-26-201-063	
APN	139-26-201-064	
APN	139-26-201-065	
APN	139-26-201-066	
APN	139-26-201-067	
APN	139-26-201-068	
APN	139-26-201-069	
APN	139-26-201-070	
APN	139-26-201-071	
APN	139-26-201-072	
APN	139-26-201-073	
APN	139-26-201-074	
APN	139-26-201-075	
APN	139-26-201-076	
APN	139-26-201-077	
APN	139-26-201-078	
APN	139-26-201-079	
APN	139-26-201-080	
APN	139-26-201-081	
APN	139-26-201-082	
APN	139-26-201-083	
APN	139-26-201-084	
APN	139-26-201-085	
APN	139-26-201-086	
APN	139-26-201-087	
APN	139-26-201-088	
APN	139-26-201-089	
APN	139-26-201-090	
APN	139-26-201-091	
APN	139-26-201-092	
APN	139-26-201-093	
APN	139-26-201-094	
APN	139-26-201-095	
APN	139-26-201-096	
APN	139-26-201-097	
APN	139-26-201-098	
APN	139-26-201-099	
APN	139-26-201-100	
APN	139-26-201-101	
APN	139-26-201-102	
APN	139-26-201-103	
APN	139-26-201-104	
APN	139-26-201-105	
APN	139-26-201-106	
APN	139-26-201-107	
APN	139-26-201-108	
APN	139-26-201-109	
APN	139-26-201-110	
APN	139-26-201-111	
APN	139-26-201-112	
APN	139-26-201-113	
APN	139-26-201-114	
APN	139-26-201-115	
APN	139-26-201-116	
APN	139-26-201-117	
APN	139-26-201-118	
APN	139-26-201-119	
APN	139-26-201-120	
APN	139-26-201-121	
APN	139-26-201-122	
APN	139-26-201-123	
APN	139-26-201-124	
APN	139-26-201-125	
APN	139-26-201-126	
APN	139-26-201-127	
APN	139-26-201-128	
APN	139-26-201-129	
APN	139-26-201-130	
APN	139-26-201-131	
APN	139-26-201-132	
APN	139-26-201-133	
APN	139-26-201-134	
APN	139-26-201-135	
APN	139-26-201-136	
APN	139-26-201-137	
APN	139-26-201-138	
APN	139-26-201-139	
APN	139-26-201-140	
APN	139-26-201-141	
APN	139-26-201-142	
APN	139-26-201-143	
APN	139-26-201-144	
APN	139-26-201-145	
APN	139-26-201-146	
APN	139-26-201-147	
APN	139-26-201-148	
APN	139-26-201-149	
APN	139-26-201-150	
APN	139-26-201-151	
APN	139-26-201-152	
APN	139-26-201-153	
APN	139-26-201-154	
APN	139-26-201-155	
APN	139-26-201-156	
APN	139-26-201-157	
APN	139-26-201-158	
APN	139-26-201-159	
APN	139-26-201-160	
APN	139-26-201-161	
APN	139-26-201-162	
APN	139-26-201-163	
APN	139-26-201-164	
APN	139-26-201-165	
APN	139-26-201-166	
APN	139-26-201-167	
APN	139-26-201-168	
APN	139-26-201-169	
APN	139-26-201-170	
APN	139-26-201-171	
APN	139-26-201-172	
APN	139-26-201-173	
APN	139-26-201-174	
APN	139-26-201-175	
APN	139-26-201-176	
APN	139-26-201-177	
APN	139-26-201-178	
APN	139-26-201-179	
APN	139-26-201-180	
APN	139-26-201-181	
APN	139-26-201-182	
APN	139-26-201-183	
APN	139-26-201-184	
APN	139-26-201-185	
APN	139-26-201-186	
APN	139-26-201-187	
APN	139-26-201-188	
APN	139-26-201-189	
APN	139-26-201-190	
APN	139-26-201-191	
APN	139-26-201-192	
APN	139-26-201-193	
APN	139-26-201-194	
APN	139-26-201-195	
APN	139-26-201-196	
APN	139-26-201-197	
APN	139-26-201-198	
APN	139-26-201-199	
APN	139-26-201-200	
APN	139-26-201-201	
APN	139-26-201-202	
APN	139-26-201-203	
APN	139-26-201-204	
APN	139-26-201-205	
APN	139-26-201-206	
APN	139-26-201-207	
APN	139-26-201-208	
APN	139-26-201-209	
APN	139-26-201-210	
APN	139-26-201-211	
APN	139-26-201-212	
APN	139-26-201-213	
APN	139-26-201-214	
APN	139-26-201-215	
APN	139-26-201-216	
APN	139-26-201-217	
APN	139-26-201-218	
APN	139-26-201-219	
APN	139-26-201-220	
APN	139-26-201-221	
APN	139-26-201-222	
APN	139-26-201-223	
APN	139-26-201-224	
APN	139-26-201-225	
APN	139-26-201-226	
APN	139-26-201-227	
APN	139-26-201-228	
APN	139-26-201-229	
APN	139-26-201-230	
APN	139-26-201-231	
APN	139-26-201-232	
APN	139-26-201-233	
APN	139-26-201-234	
APN	139-26-201-235	
APN	139-26-201-236	
APN	139-26-201-237	
APN	139-26-201-238	
APN	139-26-201-239	
APN	139-26-201-240	
APN	139-26-201-241	
APN	139-26-201-242	
APN	139-26-201-243	
APN	139-26-201-244	
APN	139-26-201-245	
APN	139-26-201-246	
APN	139-26-201-247	
APN	139-26-201-248	
APN	139-26-201-249	
APN	139-26-201-250	
APN	139-26-201-251	
APN	139-26-201-252	
APN	139-26-201-253	
APN	139-26-201-254	
APN	139-26-201-255	
APN	139-26-201-256	
APN	139-26-201-257	
APN	139-26-201-258	
APN	139-26-201-259	
APN	139-26-201-260	
APN	139-26-201-261	
APN	139-26-201-262	
APN	139-26-201-263	
APN	139-26-201-264	
APN	139-26-201-265	
APN	139-26-201-266	
APN	139-26-201-267	
APN	139-26-201-268	
APN	139-26-201-269	
APN	139-26-201-270	
APN	139-26-201-271	
APN	139-26-201-272	
APN	139-26-201-273	
APN	139-26-201-274	
APN	139-26-201-275	
APN	139-26-201-276	
APN	139-26-201-277	
APN	139-26-201-278	
APN	139-26-201-279	
APN	139-26-201-280	
APN	139-26-201-281	
APN	139-26-201-282	
APN	139-26-201-283	
APN	139-26-201-284	
APN	139-26-201-285	
APN	139-26-201-286	
APN	139-26-20	



NORTH ELEVATION
1/8" = 1'-0"



SOUTH ELEVATION
1/8" = 1'-0"



EAST ELEVATION
1/8" = 1'-0"

WEST ELEVATION
1/8" = 1'-0"

A Cab Taxi Company
Site Development Review
1500 Searles Avenue
Las Vegas, Nevada 89101

EXTERIOR
ELEVATIONS -
AUTO REPAIR

APTUS Architecture
1000 S. Searles Ave. Suite 100
Las Vegas, NV 89101
702.735.1200
702.735.1211


City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee
City of Las Vegas SDR Submittal Fee

RECEIVED
A201

VAC-35193 SDR-35195
REVISED

09/10/09 PC

AUG 03 2009



FLOOR PLAN - AUTO REPAIR

1/8" = 1'-0"



FLOOR PLAN - OFFICE

1/8" = 1'-0"

A Cab Taxi Company
Site Development Review
1500 Searles Avenue
Las Vegas, Nevada 89101

FLOOR PLANS
A100

RECEIVED

VAC-35193 SDR-35195

REVISED

09/10/09 PC

AUG 03 2009

Copyright 2009 by APTUS Architecture
APTUS Architecture
1500 Searles Avenue
Las Vegas, Nevada 89101
P: 702.894.1212



SDR 35195				
A Cab Taxi, Co.				
1500 Searles Ave.				
Proposed 8.3 thousand square foot taxi-cab and service facility				
Traffic produced by proposed development:				
New Proposal	DESCRIPTION	#UNIT	RATE/# UNIT	TOTAL
Average Daily Traffic (ADT)	GENERAL LIGHT INDUSTRIAL [1000 SF]	8.3	6.97	58
AM Peak Hour			0.92	8
PM Peak Hour			0.98	8
(heaviest 60 minutes)				
Existing traffic on all nearby streets:				
Searles Ave.				
Average Daily Traffic (ADT)	1,742			
PM Peak Hour	139			
(heaviest 60 minutes)				
Bruce St.				
Average Daily Traffic (ADT)	13,232			
PM Peak Hour	1059			
(heaviest 60 minutes)				
Traffic Capacity of adjacent streets				
	Adjacent street ADT			
	Capacity			
Searles Ave.	16900			
Bruce St.	34500			
This project will add approximately 58 trips per day on Searles Ave. and Bruce St. This will increase the existing volumes by about 3 percent on Searles and by less than 1 percent on Bruce. Searles is at about 10 percent of capacity and Bruce is at about 38 percent of capacity.				
Based on Peak Hour use, this development will add roughly 8 additional cars into the area; which works out to about 2 every 15 minutes.				
Note that this report assumes all traffic from this development uses all named streets.				