



LAS VEGAS CITY COUNCIL

OSCAR B. GOODMAN  
MAYOR

GARY REESE  
MAYOR PRO TEM

LARRY BROWN  
STEVE WOLFSON  
LOIS TARKANIAN  
STEVEN D. ROSS  
RICKI Y. BARLOW

DOUGLAS A. SELBY  
CITY MANAGER



CITY OF LAS VEGAS  
400 STEWART AVENUE  
LAS VEGAS, NEVADA 89101

VOICE 702.229.6011  
TTY 702.386.9108  
[www.lasvegasnevada.gov](http://www.lasvegasnevada.gov)

March 21, 2008

Mr. Faramarz Yousefzadeh  
Pecos Partners  
Box 49272  
Los Angeles, California 90049-0272

RE: SDR-25991 – SITE DEVELOPMENT PLAN REVIEW  
CITY COUNCIL MEETING OF MARCH 19, 2008  
RELATED TO VAR-25988

Dear Mr. Yousefzadeh:

The City Council at a regular meeting held March 19, 2008 APPROVED the request for a Site Development Plan Review FOR A PROPOSED 7,250 SQUARE-FOOT GENERAL RETAIL DEVELOPMENT on 2.57 acres on the south side of Owens Avenue, approximately 245 feet west of Pecos Road (APN 139-25-516-002), C-1 (Limited Commercial) Zone.. The Notice of Final Action was filed with the Las Vegas City Clerk on March 20, 2008. This approval is subject to:

Planning & Development

1. Approval of and conformance to the Conditions of Approval for Variance (VAR-25988) shall be required.
2. This approval shall be void two years from the date of final approval, unless a building permit has been issued for the principal building on the site. An Extension of Time may be filed for consideration by the City of Las Vegas.
3. All development shall be in conformance with the site plan, landscape plan, and building elevations, date stamped 12/11/07, except as amended by conditions herein.
4. A technical landscape plan, signed and sealed by a Registered Architect, Landscape Architect, Residential Designer or Civil Engineer, must be submitted prior to or at the same time application is made for a building permit. A permanent underground sprinkler system is required, and shall be permanently maintained in a satisfactory manner; the landscape plan shall include irrigation specifications.

5. Pre-planting and post-planting landscape inspections are required to ensure the appropriate plant material, location, size of planters, and landscape plans are being utilized. The Planning and Development Department must be contacted to schedule an inspection prior to the start of the landscape installation and after the landscape installation is completed. A certificate of occupancy will not be issued or the final inspection will not be approved until the landscape inspections have been completed.
6. Reflective glazing at the pedestrian level is prohibited. Glazing above the pedestrian level shall be limited to a maximum reflectance rating of 22% (as defined by the National Institute of Standards and Technology).
7. All mechanical equipment, air conditioners and trash areas shall be fully screened in views from the abutting streets.
8. All utility boxes exceeding 27 cubic feet in size shall meet the standards of LVMC Title 19.12.040.
9. Parking lot lighting standards shall be no more than 30 feet in height and shall utilize downward-directed lights with full cut-off luminaries. Lighting on the exterior of buildings shall be shielded and shall be downward-directed. Non-residential property lighting shall be directed away from residential property or screened, and shall not create fugitive lighting on adjacent properties.
10. A fully operational fire protection system, including fire apparatus roads, fire hydrants and water supply, shall be installed and shall be functioning prior to construction of any combustible structures.
11. All City Code requirements and design standards of all City Departments must be satisfied, except as modified herein.


#### Public Works

12. Remove all substandard public street improvements and unused driveway cuts adjacent to this site, if any, and replace with new improvements meeting current City Standards concurrent with development of this site. The proposed driveway location is acceptable as shown on this site plan; the submitted civil improvement plans shall be revised to show the correct location.
13. Unless otherwise allowed by the City Engineer, construct sidewalk on at least one side of all access drives connecting this site to the adjacent public streets concurrent with development of this site. The connecting sidewalk shall extend from the sidewalk on the public street to the first intersection of the on-site roadway network and shall be terminated on-site with a handicap ramp.
14. Construct full width asphalt paving at all driveways accessing this site and sufficient onsite paving to facilitate 2-way traffic.

Mr. Faramarz Yousefzadeh  
SDR-25991 – Page Three  
March 21, 2008

15. All landscaping and private improvements installed with this project, including the monument sign at the western most driveway, shall be situated and maintained so as to not create sight visibility obstructions for vehicular traffic at all development access drives and abutting street intersections.
16. An update to the previously approved Drainage Plan and Technical Drainage Study must be submitted to and approved by the Department of Public Works prior to the issuance of any grading or building permits, submittal of any construction drawings or the submittal of a Final Map for this site, whichever may occur first. Provide and improve all drainageways as recommended in the approved drainage plan/study.
17. Site development to comply with all applicable conditions of approval for the Pecos & Owens commercial subdivision and all other applicable site-related actions.

Sincerely,



Lean Coleman  
Deputy City Clerk II for  
Beverly K. Bridges, CMC, City Clerk

cc: Planning and Development Dept.  
Development Coordination-DPW  
Dept. of Fire Services

Mr. Yaniv Efraim  
Pecos Partners, LLC  
P.O. Box 530174  
Henderson, Nevada 89053

Ms. Sue Gray  
Perlman Design Group  
2230 Corporate Circle, Suite #200  
Henderson, Nevada 89074