

# PLANNING & DEVELOPMENT



DEVELOPMENT SERVICES CENTER

731 S. Fourth Street  
Las Vegas, NV 89101

Voice: 702-229-6301  
Fax: 702-474-0352  
TTY: 702-386-9108

[www.lasvegasnevada.gov](http://www.lasvegasnevada.gov)

September 25, 2009

Mr. Mike Mullin  
Silver Sky Two, LP  
295 East Warm Springs Road, Suite #101  
Las Vegas, Nevada 89119

**RE: SDR-35552 - SITE DEVELOPMENT PLAN REVIEW**

Dear Mr. Mullin:

Your request for a Site Development Plan Review FOR A PROPOSED THREE-STORY, 80-UNIT SENIOR CITIZEN APARTMENT DEVELOPMENT WITH A WAIVER TO ALLOW A ZERO-FOOT LANDSCAPE BUFFER ALONG PORTIONS OF THE SOUTH PERIMETER WHERE SIX FEET IS REQUIRED on 4.72 acres adjacent to the north side of Silver Sky Drive, approximately 500 feet east of Roland Wiley Drive (APN 138-28-401-019), R-3 (Medium Density Residential) Zone, Ward 2 (Wolfson), was considered by the Planning Commission on September 24, 2009.

The Planning Commission voted to recommend **APPROVAL** of your request, subject to the following:

**Planning and Development**

1. Approval of and conformance to the Conditions of Approval for Variance (VAR-35555) shall be required, if approved.
2. This approval shall be void two years from the date of final approval, unless a building permit has been issued for the principal building on the site. An Extension of Time may be filed for consideration by the City of Las Vegas.
3. All development shall be in conformance with the site plan, landscape plan, and building elevations, date stamped 08/26/09, except as amended by conditions herein.
4. Site Development Plan Review (SDR-33010) and Variance (VAR-33012) shall be expunged.
5. A perpetual, irrevocable easement to allow vehicular and pedestrian access to both proposed parcels, acceptable to City staff, shall be recorded on the parcel map submitted for subdivision of the existing site.

Mayor  
Oscar B. Goodman  
City Council  
Gary Reese  
(Mayor Pro Tem)  
Steve Wolfson  
Lois Tarkanian  
Steven D. Ross  
Ricki Y. Barlow  
Stavros S. Anthony  
City Manager  
Elizabeth N. Fretwell



6. A waiver from Title 19.12.040 Perimeter Landscape Buffering Standards is hereby approved to allow a zero-foot buffer along portions of the south and west perimeters where six feet is required.
7. An Exception from 19.12 Landscape and Buffer Standards is hereby approved, to allow 85 trees where 188 perimeter buffer trees are the minimum required.
8. The standards for this development shall include a Minimum lot size of 6,500 square feet and Building height shall not exceed two stories or 35 feet, whichever is less.
9. The minimum distance between buildings shall be a minimum of 10 feet.
10. A technical landscape plan, signed and sealed by a Registered Architect, Landscape Architect, Residential Designer or Civil Engineer, must be submitted prior to or at the same time application is made for a building permit. A permanent underground sprinkler system is required, and shall be permanently maintained in a satisfactory manner; the landscape plan shall include irrigation specifications. The technical landscape plan shall include the following changes from the conceptual landscape plan: For each 24-inch box tree; four, five gallon shrubs for each required tree.
11. Pre-planting and post-planting landscape inspections are required to ensure the appropriate plant material, location, size of planters, and landscape plans are being utilized. The Planning and Development Department must be contacted to schedule an inspection prior to the start of the landscape installation and after the landscape installation is completed. A certificate of occupancy will not be issued or the final inspection will not be approved until the landscape inspections have been completed.
12. Reflective glazing at the pedestrian level is prohibited. Glazing above the pedestrian level shall be limited to a maximum reflectance rating of 22% (as defined by the National Institute of Standards and Technology).
13. All mechanical equipment, air conditioning and trash areas shall be fully screened in views from abutting streets.
14. All utility boxes exceeding 27 cubic feet in size shall meet the standards of LVMC Title 19.12.040.
15. Parking lot lighting standards shall be no more than 30 feet in height and shall utilize downward-directed lights with full cut-off luminaries. Lighting on the exterior of buildings shall be shielded and shall be downward-directed. Non-residential property lighting shall be directed away from residential property or screened, and shall not create fugitive lighting on adjacent properties.

16. A fully operational fire protection system, including fire apparatus roads, fire hydrants and water supply, shall be installed and shall be functioning prior to construction of any combustible structures.
17. Prior to the submittal of a building permit application, the applicant shall meet with Planning and Development Department staff to develop a comprehensive address plan for the subject site. A copy of the approved address plan shall be submitted with any future building permit applications related to the site.
18. All City Code requirements and design standards of all City Departments must be satisfied, except as modified herein.
19. Sign and record a deed restriction with language determined to be satisfactory by the City Attorney which restricts the use of the site to an age-restricted community for those persons 55 years of age or older, to the full extent of the law.

**Public Works**

20. Contact the City Engineer's Office at 229-6272 to coordinate the development of this project with the Summerlin Parkway Widening project and any other public improvement projects adjacent to this site. Comply with the recommendations of the City Engineer.
21. Remove all substandard public street improvements, if any, adjacent to this site and replace with new improvements meeting current City Standards concurrent with on-site development activities.
22. Meet with the Fire Protection Engineering Section of the Department of Fire Services to discuss fire requirements for the proposed use of this facility. The design and layout of all onsite private circulation and access drives shall meet the approval of the Department of Fire Services.
23. All landscaping and private improvements installed with this project shall be situated and maintained so as not to create sight visibility obstructions for vehicular traffic at all development access drives and abutting street intersections.
24. Comply with the requirements of Las Vegas Municipal Code Chapter 4.32 Traffic Signal Impact Fee prior to the issuance of permits for this site.

Mr. Mike Mullin  
SDR-35552 - Page Four  
September 25, 2009

25. An update to the previously approved Drainage Plan and Technical Drainage Study must be submitted to and approved by the Department of Public Works prior to the issuance of any grading or building permits, or the submittal of any construction drawings, whichever may occur first. Provide and improve all drainageways as recommended in the approved drainage plan/study.

This item will be considered by the City Council on **October 21, 2009**, at 1:00 P.M. in the Council Chambers of City Hall, 400 Stewart Avenue, Las Vegas, Nevada. ***The Council requires that you or your representative be present at this meeting.*** If you or your representative chooses not to attend, the City Council may act in your absence without your input.

Sincerely,



Steve Gebeke  
Planning Supervisor  
Case Planning Division

SG:clb

cc: Ms. Jacque Haas  
Nevada H.A.N.D., Inc.  
295 East Warm Springs Road, Suite #101  
Las Vegas, Nevada 89119